



SAFETY DATA SHEET

Armor All® Air Freshener Card Mountain Air

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Armor All® Air Freshener Card Mountain Air
Product number 78526ML

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hanging air freshener.
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier

Armored Auto UK Ltd
 Unit 16, Rassau Industrial Estate
 Ebbw Vale
 Gwent NP23 5SD
 UK
 Tel: +44 1495 350234
 Fax: + 44 1495 350431
 euregulatory@eu.spectrumbrands.com

1.4. Emergency telephone number

Emergency telephone +44 1495 350234
 Monday - Thursday: 0830 - 1700
 Friday: 0830 - 1530

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)


Physical hazards Not Classified
Health hazards Skin Sens. 1 - H317
Environmental hazards Aquatic Chronic 2 - H411

Environmental

The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Pictogram



Signal word

Warning

Armor All® Air Freshener Card Mountain Air

Hazard statements	H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.
Exemptions from CLP Article 17 [Article 29(2)]	The following are not required for labelling: H411 Toxic to aquatic life with long lasting effects. - 1.5.2.1. Labelling of packages where the contents do not exceed 125 ml]
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
Contains	limonene, citral, pin-2(3)-ene
Supplementary precautionary statements	P272 Contaminated work clothing should not be allowed out of the workplace. P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

limonene	1 - <2.5%
CAS number: 138-86-3	EC number: 205-341-0
M factor (Acute) = 1	M factor (Chronic) = 1
Classification	
Flam. Liq. 3 - H226	
Skin Irrit. 2 - H315	
Skin Sens. 1 - H317	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
ethyl acetate	1 - <2.5%
CAS number: 141-78-6	EC number: 205-500-4
Classification	
Flam. Liq. 2 - H225	
Eye Irrit. 2 - H319	
STOT SE 3 - H336	
hexyl acetate	1 - <2.5%
CAS number: 142-92-7	EC number: 205-572-7
Classification	
Flam. Liq. 3 - H226	
Aquatic Chronic 2 - H411	

Armor All® Air Freshener Card Mountain Air

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	0.5 - <1%
CAS number: 1222-05-5	EC number: 214-946-9
M factor (Acute) = 1	M factor (Chronic) = 1
Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
citral	0.25 - <0.5%
CAS number: 5392-40-5	EC number: 226-394-6
Classification Skin Irrit. 2 - H315 Skin Sens. 1 - H317	
pin-2(3)-ene	0.25 - <0.5%
CAS number: 80-56-8	EC number: 201-291-9
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Skin contact	Wash skin thoroughly with soap and water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Vapours may cause drowsiness and dizziness.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged skin contact may cause redness and irritation.
Eye contact	May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Armor All® Air Freshener Card Mountain Air

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations.

Advice on general occupational hygiene Avoid contact with eyes and prolonged skin contact.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in a cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

ethyl acetate

Long-term exposure limit (8-hour TWA): WEL 200 ppm

Short-term exposure limit (15-minute): WEL 400 ppm

WEL = Workplace Exposure Limit

8.2. Exposure controls

Armor All® Air Freshener Card Mountain Air

Eye/face protection	No specific eye protection required during normal use.
Hand protection	The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Hygiene measures	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Solid.
Colour	Various colours.
Odour	Characteristic.
Odour threshold	Not determined.
pH	Not determined.
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Not determined.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	Not determined.
Bulk density	Not determined.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.

9.2. Other information

Other information	No information required.
--------------------------	--------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

Armor All® Air Freshener Card Mountain Air

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products None at ambient temperatures.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Skin Sens. 1 - H317

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Armor All® Air Freshener Card Mountain Air

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

limonene

Skin corrosion/irritation

Animal data Skin Irrit. 2 - H315 Causes skin irritation.

Skin sensitisation

Skin sensitisation Skin Sens. 1 - H317 May cause an allergic skin reaction.

ethyl acetate

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ > 20000 mg/kg, Rabbit REACH dossier information.

Serious eye damage/irritation

Serious eye damage/irritation Eye Irrit. 2 - H319 Causes serious eye irritation.

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative. REACH dossier information.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information.

hexyl acetate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 41,500.0

Species Rat

Notes (oral LD₅₀) REACH dossier information.

ATE oral (mg/kg) 41,500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,000.0

Species Rabbit

Notes (dermal LD₅₀) REACH dossier information.

ATE dermal (mg/kg) 5,000.0

Skin corrosion/irritation

Animal data Dose: 0.01 ml, < 24 hours, Rabbit Slightly irritating. REACH dossier information.
Based on available data the classification criteria are not met.

Skin sensitisation

Armor All® Air Freshener Card Mountain Air

Skin sensitisation - Guinea pig: Not sensitising. REACH dossier information.

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 4,640.0

Species Rat

Notes (oral LD₅₀) REACH dossier information.

ATE oral (mg/kg) 4,640.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 10,000.0

Species Rat

Notes (dermal LD₅₀) REACH dossier information.

ATE dermal (mg/kg) 10,000.0

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 1 hour, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.1 ml, 7 days, Rabbit REACH dossier information. Not irritating.

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative. REACH dossier information.

Reproductive toxicity

Reproductive toxicity - development Developmental toxicity: - NOAEL: 150 mg/kg/day, Oral, Rat Developmental toxicity: - LOAEL: 500 mg/kg/day, Oral, Rat REACH dossier information.

citral

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 6,800.0

Species Rat

ATE oral (mg/kg) 6,800.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ > 2000 mg/kg, Rat REACH dossier information.

Skin corrosion/irritation

Armor All® Air Freshener Card Mountain Air

Animal data	Skin Irrit. 2 - H315 Causes skin irritation.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	REACH dossier information. Not irritating.
<u>Skin sensitisation</u>	
Skin sensitisation	Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative. REACH dossier information.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information.
<u>Carcinogenicity</u>	
Carcinogenicity	NOAEL 60 mg/kg/day, Oral, Mouse REACH dossier information.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Screening - NOAEL 200 mg/kg/day, Oral, Rat P REACH dossier information.

pin-2(3)-ene

<u>Skin corrosion/irritation</u>	
Human skin model test	Dose: 10 µl, 15 ± 0.5 minutes, Human Cell Viability (39.6 ± 5.6%) 15 minutes REACH dossier information. Irritating.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	REACH dossier information. Not irritating.
<u>Skin sensitisation</u>	
Skin sensitisation	Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information. Read across data.

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity Aquatic Chronic 2 - H411

limonene

Toxicity	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.
<u>Acute aquatic toxicity</u>	
LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
<u>Chronic aquatic toxicity</u>	
M factor (Chronic)	1

ethyl acetate

Armor All® Air Freshener Card Mountain Air

Acute toxicity - fish	LC ₅₀ , 96 hours: 230 mg/l, Pimephales promelas (Fat-head Minnow) EC ₅₀ , 96 hours: 220 mg/l, Pimephales promelas (Fat-head Minnow) REACH dossier information.
Acute toxicity - aquatic plants	NOEC, 72 hours: > 100 mg/l, Desmodismus subspicatus REACH dossier information.
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 2.4 mg/l, Daphnia magna REACH dossier information.

hexyl acetate

Acute toxicity - aquatic invertebrates	NOEC, 48 hours: 0.84 mg/l, Daphnia magna EC ₅₀ , 48 hours: 9.1 mg/l, Daphnia magna LOEC, 48 hours: 1.6 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	NOEC, 72 hours: 2.7 mg/l, Pseudokirchneriella subcapitata EC ₅₀ , 72 hours: 12 mg/l, Pseudokirchneriella subcapitata REACH dossier information.
Acute toxicity - microorganisms	NOEC, 30 minutes: 100 mg/l, Activated sludge EC ₅₀ , 30 minutes: 100 - 1000 mg/l, Activated sludge REACH dossier information.

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Acute aquatic toxicity

LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1

Acute toxicity - fish	NOEC, 21 days: 0.093 mg/l, Lepomis macrochirus (Bluegill) LOEC, 21 days: 0.182 mg/l, Lepomis macrochirus (Bluegill) LC ₅₀ , 96 hours: 1.36 mg/l, Lepomis macrochirus (Bluegill) REACH dossier information.
------------------------------	--

Acute toxicity - aquatic invertebrates	LC ₅₀ , 48 hours: 0.47 mg/l, Acartia tonsa REACH dossier information.
---	---

Acute toxicity - aquatic plants	NOEC, 72 hours: 0.201 mg/l, Pseudokirchneriella subcapitata LOEC, 72 hours: 0.466 mg/l, Pseudokirchneriella subcapitata EC ₅₀ , 72 hours: 0.723 mg/l, Pseudokirchneriella subcapitata REACH dossier information.
--	--

Acute toxicity - terrestrial	NOEC, 56 days: 45 mg/kg, Eisenia Fetida (Earthworm) LOEC, 28 days: 105 mg/kg, Eisenia Fetida (Earthworm) NOEC, 28 days: 105 mg/kg, Eisenia Fetida (Earthworm) REACH dossier information.
-------------------------------------	---

Chronic aquatic toxicity

NOEC	0.01 < NOEC ≤ 0.1
Degradability	Non-rapidly degradable
M factor (Chronic)	1

Armor All® Air Freshener Card Mountain Air

Chronic toxicity - fish early life stage NOEC, 21 days: 0.093 mg/l, Lepomis macrochirus (Bluegill)
 LOEC, 21 days: 0.182 mg/l, Lepomis macrochirus (Bluegill)
 LC₅₀, 21 days: 0.452 mg/l, Lepomis macrochirus (Bluegill)
 REACH dossier information.

Chronic toxicity - aquatic invertebrates NOEC, 5.5 days: 0.0375 mg/l, Acartia tonsa
 LOEC, 5.5 days: 0.075 mg/l, Acartia tonsa
 EC₅₀, 5.5 days: 0.131 mg/l, Acartia tonsa
 REACH dossier information.

citral

Acute toxicity - fish NOEC, 96 hours: 4.6 mg/l, Leuciscus idus (Golden orfe)
 LC₀, 96 hours: 4.6 mg/l, Leuciscus idus (Golden orfe)
 LC₅₀, 96 hours: 6.78 mg/l, Leuciscus idus (Golden orfe)
 LC₁₀₀, 96 hours: 10 mg/l, Leuciscus idus (Golden orfe)
 REACH dossier information.

Acute toxicity - aquatic invertebrates EC₀, 48 hours: 3.13 mg/l, Daphnia magna
 EC₅₀, 48 hours: 6.8 mg/l, Daphnia magna
 EC₁₀₀, 48 hours: 25 mg/l, Daphnia magna
 REACH dossier information.

Acute toxicity - aquatic plants EC₅₀, 72 hours: 103.8 mg/l, Desmodemus subspicatus
 REACH dossier information.

Acute toxicity - microorganisms EC₂₀, 30 minutes: 68 mg/l, Activated sludge
 EC₅₀, 30 minutes: 160 mg/l, Activated sludge
 REACH dossier information.

pin-2(3)-ene

Acute toxicity - microorganisms EC₅₀, 3 hours: 326 mg/l, Activated sludge
 REACH dossier information.
 Read across data.

12.2. Persistence and degradability

Persistence and degradability No data available.

ethyl acetate

Stability (hydrolysis) pH7 - Half-life : 24 months @ 24.9°C
 pH9 - Half-life : 7.5 days @ 24.9°C
 REACH dossier information.

Biodegradation Water - Degradation (62%): 5 - 10 days
 Water - Degradation (69%): 15 - 20 days
 REACH dossier information.
 The substance is readily biodegradable.

hexyl acetate

Biodegradation Water - Degradation (66%): 28 days
 The substance is readily biodegradable.
 REACH dossier information.

Armor All® Air Freshener Card Mountain Air

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Phototransformation	Water - DT ₅₀ : 3.7 - 4.9 hours REACH dossier information.
Biodegradation	Water - Half-life : < 120 days Water - Degradation (60%): 28 days Water - Half-life : 100 hours Water - Degradation (~2%): 28 days REACH dossier information. No biodegradation observed under test conditions.
Biological oxygen demand	~ 3 g O ₂ /g substance REACH dossier information.

citral

Phototransformation	Water - Degradation (50%): 37.35 minutes REACH dossier information. Calculation method.
Biodegradation	Water - Degradation (> 90%): 28 days REACH dossier information. The substance is readily biodegradable.

pin-2(3)-ene

Biodegradation	Water - Degradation (76%): 28 days REACH dossier information. The substance is readily biodegradable.
-----------------------	---

12.3. Bioaccumulative potential

Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not determined.

ethyl acetate

Bioaccumulative potential	BCF: 30, Leuciscus idus (Golden orfe) REACH dossier information.
Partition coefficient	log Pow: 0.68 REACH dossier information.

hexyl acetate

Partition coefficient	log Pow: 3.3 REACH dossier information.
------------------------------	---

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Bioaccumulative potential	BCF: 1584, Lepomis macrochirus (Bluegill) REACH dossier information.
Partition coefficient	log Pow: 5.3 REACH dossier information.

citral

Bioaccumulative potential	BCF: 89.72, Algae REACH dossier information. Calculation method.
Partition coefficient	log Pow: 2.76 REACH dossier information.

pin-2(3)-ene

Armor All® Air Freshener Card Mountain Air

Bioaccumulative potential BCF: 1845 l/kg, Algae REACH dossier information. QSAR

Partition coefficient log Pow: 4.487 REACH dossier information.

12.4. Mobility in soil

Mobility The product is soluble in water.

hexyl acetate

Adsorption/desorption coefficient Water - log Koc: 2.47 @ 30°C REACH dossier information.

Surface tension 26.55 mN/m @ 20°C 26 mN/m @ 25°C REACH dossier information.

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

Adsorption/desorption coefficient Activated sludge - log Koc: 4.87 REACH dossier information.

citral

Henry's law constant 0.000376 atm m³/mol @ 25°C REACH dossier information. Calculation method.

pin-2(3)-ene

Adsorption/desorption coefficient Water - Koc: 2184 @ 25°C REACH dossier information. QSAR

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). Refer to the Dangerous Goods List for information on any Special Provisions 335 / A158.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Armor All® Air Freshener Card Mountain Air

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Classification procedures according to Regulation (EC) 1272/2008 Skin Sens. 1 - H317, Aquatic Chronic 2 - H411: Calculation method.

Revision comments Section 2: Hazards identification // 2.2. Label elements

Revision date 01/06/2016

Revision 2

Supersedes date 18/05/2015

SDS number 606

Hazard statements in full H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Armor All® Air Freshener Card Mountain Air

The information supplied here is accurate to the best knowledge and belief of Armored Auto UK Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Armored Auto UK Ltd assumes any legal responsibility. Any information or advice obtained from Armored Auto UK Ltd other than by means of this publication, and whether relating to Armored Auto UK Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Armored Auto UK Ltd when used instead of, or in conjunction with materials supplied by Armored Auto UK Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Armored Auto UK Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.