

# SAFETY DATA SHEET Armor All® Carpet & Seat Foam Cleaner

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product name	Armor All® Carpet & Seat Foam Cleaner		
Product number	38500		
1.2. Relevant identified uses	of the substance or mixture and uses advised against		
Identified uses	Automotive foam cleaner.		
Uses advised against	No specific uses advised against are identified.		
1.3. Details of the supplier of	the safety data sheet		
Supplier	Armored Auto UK Ltd Unit 16, Rassau Industrial Estate Ebbw Vale Gwent NP23 5SD UK Tel: +44 1495 350234 Fax: + 44 1495 350431 euregulatory@eu.spectrumbrands.com		
1.4. Emergency telephone nu	mber		
Emergency telephone	+44 1495 350234 Monday - Thursday: 0830 - 1700 Friday: 0830 - 1520		
	Friday: 0830 - 1530		
SECTION 2: Hazards identified			
SECTION 2: Hazards identific 2.1. Classification of the subs	cation		
2.1. Classification of the subs Classification (EC 1272/2008)	cation tance or mixture		
2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards	tance or mixture Aerosol 1 - H222, H229		
2.1. Classification of the subs Classification (EC 1272/2008)	cation tance or mixture		
2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards	tance or mixture Aerosol 1 - H222, H229		
2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards	tance or mixture Aerosol 1 - H222, H229 Not Classified		
2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards	tance or mixture         Aerosol 1 - H222, H229         Not Classified         Not Classified         Containers can burst violently or explode when heated, due to excessive pressure build-up.         When sprayed on a naked flame or any incandescent material the aerosol vapours can be		
2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards Physicochemical	tance or mixture         Aerosol 1 - H222, H229         Not Classified         Not Classified         Containers can burst violently or explode when heated, due to excessive pressure build-up.         When sprayed on a naked flame or any incandescent material the aerosol vapours can be		
2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards Physicochemical 2.2. Label elements	tance or mixture         Aerosol 1 - H222, H229         Not Classified         Not Classified         Containers can burst violently or explode when heated, due to excessive pressure build-up.         When sprayed on a naked flame or any incandescent material the aerosol vapours can be		

Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated
Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> </ul>
Detergent labelling	5 - < 15% aliphatic hydrocarbons, < 5% non-ionic surfactants, < 5% perfumes, Contains CITRAL, D-LIMONENE

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Hydrocarbons, C3-4-rich, petroleum distillate		5 - <10%
CAS number: 68512-91-4	EC number: 270-990-9	
Classification		
Flam. Gas 1 - H220		
Press. Gas, Liquefied - H280		
2-Butoxyethanol		2.5 - <5%
CAS number: 111-76-2	EC number: 203-905-0	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 3 - H331		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Sodium nitrite		0.25 - <0.5%
CAS number: 7632-00-0	EC number: 231-555-9	
M factor (Acute) = 1		
Classification		
Ox. Sol. 3 - H272		
Acute Tox. 3 - H301		
Aquatic Acute 1 - H400		

	0.25 - <0.5%
EC number: 203-815-1	
	EC number: 203-815-1

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

# 4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.		
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.		
Ingestion	Rinse mouth thoroughly with water. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if any discomfort continues.		
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing.		
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms are severe or persist after washing.		
4.2. Most important symptoms	and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	Spray/mists may cause respiratory tract irritation.		
Ingestion	Due to the physical nature of this product, exposure by this route is unlikely.		
Skin contact	Repeated exposure may cause skin dryness or cracking.		
Eye contact	May be slightly irritating to eyes. May cause discomfort.		
4.3. Indication of any immedia	te medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically. Keep affected person under observation.		
SECTION 5: Firefighting meas	SECTION 5: Firefighting measures		
5.1. Extinguishing media			
Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		

5.2. Special hazards arising from the substance or mixture

Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Vapours may form explosive mixtures with air.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Use water to keep fire exposed containers cool and disperse vapours.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Wear positive-pressure self- contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Evacuate area. No smoking, sparks, flames or other sources of ignition near spillage. Risk of explosion.	
For non-emergency personnel	No action shall be taken without appropriate training or involving any personal risk.	
6.2. Environmental precautions	5	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for o	containment and cleaning up	
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Eliminate all ignition sources if safe to do so. Do not touch or walk into spilled material. Ventilate closed spaces before entering them. Use only non-sparking tools. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.	
6.4. Reference to other section	IS	
Reference to other sections	See Section 11 for additional information on health hazards. For waste disposal, see Section 13.	
SECTION 7: Handling and stor	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Provide adequate ventilation. Ground/bond container and receiving equipment. Keep away from heat, sparks and open flame.	
Advice on general occupational hygiene	Avoid contact with eyes and prolonged skin contact. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using this product.	
7.2. Conditions for safe storage	e, including any incompatibilities	
Storage precautions	Store in a cool and well-ventilated place. Keep away from heat, sparks and open flame. Take precautionary measures against static discharges.	
Storage class	Flammable compressed gas storage.	

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### Hydrocarbons, C3-4-rich, petroleum distillate

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m<sup>3</sup>

#### 2-Butoxyethanol

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m<sup>3</sup> Sk

#### Morpholine

Long-term exposure limit (8-hour TWA): WEL 10 ppm 36 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 20 ppm 72 mg/m<sup>3</sup> Sk WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

#### linalool (CAS: 78-70-6)

DNEL	Workers - Inhalation; Long term systemic effects: 2.8 mg/m <sup>3</sup> Workers - Inhalation; Short term systemic effects: 16.5 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 2.5 mg/kg/day Workers - Dermal; Short term systemic effects: 5 mg/kg/day Workers - Dermal; Long term local effects: 3 mg/cm <sup>2</sup> Workers - Dermal; Short term local effects: 3 mg/cm <sup>2</sup> General population - Inhalation; Long term systemic effects: 0.7 mg/m <sup>3</sup> General population - Inhalation; Short term systemic effects: 4.1 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 1.25 mg/kg/day General population - Dermal; Short term systemic effects: 23.5 mg/kg/day General population - Dermal; Short term local effects: 1.5 mg/cm <sup>2</sup> General population - Dermal; Long term local effects: 1.5 mg/cm <sup>2</sup> General population - Dermal; Short term local effects: 1.5 mg/cm <sup>2</sup> General population - Dermal; Short term systemic effects: 1.2 mg/kg/day General population - Oral; Long term systemic effects: 0.2 mg/kg/day
PNEC	<ul> <li>Fresh water; 0.2 mg/l</li> <li>Marine water; 0.02 mg/l</li> <li>STP; 10 mg/l</li> <li>Sediment (Freshwater); 2.22 mg/kg</li> <li>Sediment (Marinewater); 0.222 mg/kg</li> <li>Soil; 0.327 mg/kg</li> <li>Oral; 7.8 mg/kg</li> </ul>
Exposure controls	
tective equipment	

### 8.2.

### **Protective equipment**



### Appropriate engineering controls

Provide adequate ventilation. All handling should only take place in well-ventilated areas. Avoid inhalation of vapours and spray/mists. Use explosion-proof electrical, ventilating and lighting equipment.

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Do not smoke in work area. Wash promptly with soap and water if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.
Environmental exposure controls	Keep container tightly sealed when not in use.

### **SECTION 9: Physical and Chemical Properties**

9.1. Information on basic physical and chemical properties		
Appearance	Opaque liquid.	
Colour	White.	
Odour	Citrus.	
Odour threshold	Not determined.	
рН	pH (concentrated solution): 10.2 - 10.9 Liquid.	
Melting point	Not relevant.	
Initial boiling point and range	Not relevant.	
Evaporation rate	Not determined.	
Evaporation factor	Not determined.	
Flammability (solid, gas)	Not determined.	
Upper/lower flammability or explosive limits	Not determined.	
Vapour pressure	Not determined.	
Vapour density	Not determined.	
Relative density	Not determined.	
Bulk density	Not determined.	
Partition coefficient	Not determined.	
Auto-ignition temperature	Not relevant.	
Decomposition Temperature	Not relevant.	
Viscosity	Not determined.	

Explosive properties	Not considered to be explosive.	
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.	
9.2. Other information		
Other information	No information required.	
SECTION 10: Stability and rea	ctivity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous r	eactions	
Possibility of hazardous reactions	Will not polymerise.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Avoid heat, flames and other sources of ignition. Avoid the accumulation of vapours in low or confined areas. Pressurised container: may burst if heated	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Decomposition at ambient temperatures may generate the following substances: Carbon dioxide (CO2). Carbon monoxide (CO). Acrid smoke or fumes.	
SECTION 11: Toxicological inf	ormation	
11.1. Information on toxicologic	cal effects	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
ATE oral (mg/kg)	23,128.89	
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
ATE dermal (mg/kg)	30,753.46	
	00,100.40	
Acute toxicity - inhalation Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.	
ATE inhalation (vapours mg/l)	95.77	
Skin corrosion/irritation		
Skin corrosion/irritation	Based on available data the classification criteria are not met.	
Serious eye damage/irritation		
Serious eye damage/irritation	Based on available data the classification criteria are not met.	

Respiratory	sensitisation			
Respiratory	sensitisation	Based or	n available data the classification criteria are not met.	
Skin sensitis		Deced or	a visitable data the algorithmation aritaria are not mat	
Skin sensitis		Dased of	n available data the classification criteria are not met.	
Germ cell m Genotoxicity		Based on available data the classification criteria are not met.		
Genotoxicity	- in vivo	Based or	n available data the classification criteria are not met.	
Carcinogenie	city			
Carcinogenio	-	Based or	n available data the classification criteria are not met.	
Reproductive Reproductive		Based or	n available data the classification criteria are not met.	
-	et organ toxicity - s			
STOT - singl			n available data the classification criteria are not met.	
Specific targ	et organ toxicity - r	epeated e	exposure	
STOT - repe	ated exposure	Based or	n available data the classification criteria are not met.	
Aspiration ha				
Aspiration ha			ipated to present an aspiration hazard, based on chemical structure.	
loxicologica	l information on ing	gredients.		
	• • •		Hydrocarbons, C3-4-rich, petroleum distillate	
	Germ cell mutage			
	Genotoxicity - in v		Chromosome aberration: Negative. REACH dossier information.	
	Reproductive toxic			
	Reproductive toxic fertility	city -	One-generation study - NOAEC 10000 ppm, Inhalation, Rat P REACH dossier information.	
	Reproductive toxic development	city -	Developmental toxicity: - NOAEC: 10426 ppm, Inhalation, Rat REACH dossier information.	
			2-Butoxyethanol	
	Acute toxicity - ora	al		
	Acute toxicity oral mg/kg)	(LD50	1,746.0	
	Species		Rat	
	Notes (oral LD₅₀)		REACH dossier information.	
	ATE oral (mg/kg)		1,746.0	
	Acute toxicity - de	rmal		
	Acute toxicity dern mg/kg)	nal (LD₅₀	1,200.0	
	Species		Rabbit	
	Notes (dermal LDe	50)	REACH dossier information.	

ATE dermal (mg/kg)	1,200.0
Acute toxicity - inhalation	
Notes (inhalation LC <sub>50</sub> )	cATpE: Converted Acute Toxicity Point Estimate.
ATE inhalation (vapours mg/l)	3.0
Skin corrosion/irritation	
Animal data	Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: No oedema (0). REACH dossier information. Irritating.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Dose: 0.1 ml, 24 hours, Rabbit REACH dossier information. Irritating.
Skin sensitisation	
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information.
Germ cell mutagenicity	
Genotoxicity - in vitro	Gene mutation: Negative. REACH dossier information.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information.
Carcinogenicity	
Carcinogenicity	NOAEC 125 ppm, Inhalation, Mouse REACH dossier information. Limited evidence of a carcinogenic effect.
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Two-generation study - NOAEL 720 mg/kg/day, Oral, Mouse P, F1 REACH dossier information.
Reproductive toxicity - development	Maternal toxicity: - NOAEL: 50 ppm, Inhalation, Rabbit REACH dossier information.
	Sodium nitrite
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	180.0
Species	Rat
Notes (oral LD∞)	REACH dossier information.
ATE oral (mg/kg)	180.0
	Morpholine
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	1,900.0
Species	Rat

Notes (and LDs)       REACH dossier information.         ATE oral (mg/kg)       1,000.0         Acute toxicity dermal       Solo.0         Specie       Rabit         Notes (mg/kg)       Rabit         Acute toxicity inflation       Solo.0         Acute toxicity inflation       RaCH dossier information.         Artin and data       Solo.0         Artin and data       Consolo.0 Soni.0 Soni			
Acute toxicity dermal (LDs       500.0         mg/kg)       Rabbit         Species       Rabbit         Notes (dermal LDs)       REACH dossier information.         ATE dermal (mg/kg)       500.0         Acute toxicity - inhalation       600.0         Acute toxicity - inhalation       8.0         (LCsv vapours mg/l)       REACH dossier information.         Species       Rat         Notes (inhalation LCsw)       REACH dossier information.         ATE inhalation (vapours mg/l)       REACH dossier information.         Stin corrosion/irritation       8.0         Skin corrosion/irritation       Societo S ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.         Serious eye damage/irritation       Corosive to skin. Corrosivity to eyes is assumed. REACH dossier information.         Genotoxicity - in vitro       DNA damage and/or repair: Negative. REACH dossier information.         Genotoxicity - in vitro       NOAEC > 543 mg/m <sup>2</sup> , Inhalation, Ret REACH dossier information.         Carcinogenicity       VACE Group 3 Not classifiable as to its carcinogenicity to humans.         Reproductive toxicity -       Developmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information.		Notes (oral LD₅₀)	REACH dossier information.
Acute toxicity dermal (LDs mg/kg)500.0SpeciesRabbitNotes (dermal LDs oREACH dossier information.ATE dermal (mg/kg)500.0Acute toxicity - inhalation (LCs vapours mg/l)8.0Acute toxicity - inhalation (LCs8.0Acute toxicity - inhalation (LCsREACH dossier information.Acute toxicity - inhalation (LCs8.0SpeciesRatNotes (Inhalation LCss)REACH dossier information.ATE inhalation (vapours mg/l)8.0Skin corrosion/irritation information.Socie 0.5 ml, 3 minute, Rabbit Enythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.Serious eye damage/irritation damage(irritationCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.Genotoxicity - in vitroNOAEC > 543 mg/m <sup>3</sup> , Inhalation, Ret REACH dossier information.IARC carcinogenicityVOAEC > 543 mg/m <sup>3</sup> , Inhalation, Ret REACH dossier information.IARC carcinogenicityIARC Group 3 Not classifiable as to its carcinogenicity to humans.Reproductive toxicity - developmentDevelopmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		ATE oral (mg/kg)	1,900.0
mg/kg)SpeciesRabbitSpeciesReACH dossier information.Notes (dermal LDso)REACH dossier information.ATE dermal (mg/kg)500.0Acute toxicity - inhalation8.0Acute toxicity - inhalation8.0CLCso vapours mg/lREACH dossier information.SpeciesRatNotes (inhalation LCso)REACH dossier information.ATE inhalation (vapours mg/l)8.0Skin corrosion/initiation0se: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.Serious eye damage/initiationCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.Germ cell mutagenicityOkadamage and/or repair: Negative. REACH dossier information.Germ cell mutagenicityNA damage and/or repair: Negative. REACH dossier information.GarcinogenicityNACE > 543 mg/m³, Inhalation, Rat REACH dossier information.GarcinogenicityNACE > 543 mg/m³, Inhalation, Rat REACH dossier information.IARC carcinogenicityNACE > 543 mg/m³, Inhalation, Rat REACH dossier information.IARC carcinogenicityNACE > 543 mg/m³, Inhalation, Rat REACH dossier information.IARC carcinogenicityNACE > 543 mg/m³, Inhalation as to its carcinogenicity to humans.Reproductive toxicity:Not classifiable as to its carcinogenicity to humans.Reproductive toxicityDevelopmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information.		Acute toxicity - dermal	
Notes (dermal LD <sub>w</sub> )REACH dossier information.ATE dermal (mg/kg)500.0Acute toxicity - inhalation Acute toxicity inhalation (LC <sub>w</sub> vapours mg/l)8.0Acute toxicity - inhalation (LC <sub>w</sub> vapours mg/l)REACH dossier information.SpeciesRatNotes (inhalation (vapours mg/l)8.0Skin corrosion/irritation8.0Skin corrosion/irritationOsse: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information.Serious eye damage/irritationOsse: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.Serious eye damage/irritationCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information. damage/irritationGerm cell mutagenicityONA damage and/or repair: Negative. REACH dossier information. CarcinogenicityGenotoxicity - in vivoChromosome aberration: Negative. REACH dossier information. CarcinogenicityCarcinogenicityNOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information. LARC carcinogenicityIARC carcinogenicityIARC Group 3 Not classifiable as to its carcinogenicity to humans. Reproductive toxicity: NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.			500.0
ATE dermal (mg/kg)500.0Acute toxicity - inhalation8.0Acute toxicity inhalation8.0Clc-e vapours mg/l)RetSpeciesRatNotes (inhalation LCwo)REACH dossier information.ATE inhalation (vapours mg/l)8.0Skin corrosion/irritation8.0Skin corrosion/irritationDose: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.Serious eye damage/irritationCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information. CareinogenicityGenotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information. CareinogenicityGenotoxicity - in vitroONAEC > 543 mg/m², Inhalation, Rat REACH dossier information. CareinogenicityARC carcinogenicityIARC Group 3 Not classifiable as to its carcinogenicity to humans. Reproductive toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Species	Rabbit
Acute toxicity - inhalation       8.0         Acute toxicity inhalation       8.0         LCee vapours mg/h       8.0         Species       Rat         Notes (inhalation LCee)       REACH dossier information.         ATE inhalation (vapours mg/h)       8.0         Skin corrosion/initation       8.0         Skin corrosion/initation       8.0         Animal data       Dose: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.         Serious eye damage/initation       Corrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.         Germ cell mutagenicity       Genotoxicity - in vivo         Genotoxicity - in vivo       DNA damage and/or repair: Negative. REACH dossier information.         Garcinogenicity       NOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.         ARC caroinogenicity       NOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.         IARC Group 3 Not classifiable as to its carcinogenicity to humans.       Reproductive toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information.		Notes (dermal LD₅₀)	REACH dossier information.
Acute toxicity inhalation (LC∞ vapours mg/l)8.0SpeciesRatNotes (inhalation LC∞)REACH dossier information.ATE inhalation (vapours mg/l)8.0Skin corrosion/irritation8.0Animal dataDose: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.Serious eye damage/irritationCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information. damage/irritationGerm cell mutagenicity Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information. Chromosome aberration: Negative. REACH dossier information.Gerotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information. CarcinogenicityCarcinogenicity CarcinogenicityNOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.IARC carcinogenicity Reproductive toxicityDevelopmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		ATE dermal (mg/kg)	500.0
(LCsv vapours mg/l)SpeciesRatNotes (inhalation LCsv)REACH dossier information.ATE inhalation (vapours mg/l)8.0Skin corrosion/inftationSolSkin corrosion/inftationDose: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.Serious eye damage/inftationCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information. damage/inftationGerm cell mutagenicityONA damage and/or repair: Negative. REACH dossier information. CarcinogenicityGenotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information. CarcinogenicityCarcinogenicityNOAEC > 543 mg/m³. Inhalation, Rat REACH dossier information. I ARC carcinogenicityARC carcinogenicityIARC Group 3 Not classifiable as to its carcinogenicity to humans. Reproductive toxicity - invicity : - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Acute toxicity - inhalation	
Notes (inhalation LC=00)REACH dossier information.ATE inhalation (vapours mg/l)8.0Skin corrosion/irritation8.0Animal dataDose: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.Serious eye damage/irritationCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.Germ cell mutagenicityCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.Genotoxicity - in vivoChromosome aberration: Negative. REACH dossier information.CarcinogenicityNOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.IARC carcinogenicityIARC Group 3 Not classifiable as to its carcinogenicity to humans.Reproductive toxicity - developmentDevelopmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		-	8.0
ATE inhalation (vapours mg/l)8.0Skin corrosion/irritationDose: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.Serious eye damage/irritationCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information. damage/irritationGerm cell mutagenicity Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.CarcinogenicityNOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.CarcinogenicityIARC Group 3 Not classifiable as to its carcinogenicity to humans.Reproductive toxicity - developmentDevelopmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Species	Rat
mg/l)         Skin corrosion/irritation         Animal data       Dose: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.         Serious eye damage/irritation       Corrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.         Germ cell mutagenicity       Corrosome aberration: Negative. REACH dossier information.         Genotoxicity - in vitro       DNA damage and/or repair: Negative. REACH dossier information.         Genotoxicity - in vitro       Chromosome aberration: Negative. REACH dossier information.         Carcinogenicity       NOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.         IARC carcinogenicity       IARC Group 3 Not classifiable as to its carcinogenicity to humans.         Reproductive toxicity - development       Developmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Notes (inhalation LC <sub>50</sub> )	REACH dossier information.
Animal dataDose: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.Serious eye damage/irritationCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.Germ cell mutagenicity Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.Gernotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.GarcinogenicityNOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.IARC carcinogenicityIARC Group 3 Not classifiable as to its carcinogenicity to humans.Reproductive toxicity developmentDevelopmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		• •	8.0
Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.Serious eye damage/irritationCorrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.Germ cell mutagenicity Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.Genotoxicity - in vivoChromosome aberration: Negative. REACH dossier information.CarcinogenicityNOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.IARC carcinogenicityIARC Group 3 Not classifiable as to its carcinogenicity to humans.Reproductive toxicity - developmentDevelopmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Skin corrosion/irritation	
Serious eye damage/irritation       Corrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.         Germ cell mutagenicity       DNA damage and/or repair: Negative. REACH dossier information.         Genotoxicity - in vitro       DNA damage and/or repair: Negative. REACH dossier information.         Genotoxicity - in vivo       Chromosome aberration: Negative. REACH dossier information.         Carcinogenicity       NOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.         IARC carcinogenicity       IARC Group 3 Not classifiable as to its carcinogenicity to humans.         Reproductive toxicity       Developmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Animal data	Oedema score: Very slight oedema - barely perceptible (1). REACH dossier
damage/irritation         Germ cell mutagenicity         Genotoxicity - in vitro       DNA damage and/or repair: Negative. REACH dossier information.         Genotoxicity - in vivo       Chromosome aberration: Negative. REACH dossier information.         Carcinogenicity       NOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.         IARC carcinogenicity       IARC Group 3 Not classifiable as to its carcinogenicity to humans.         Reproductive toxicity - development       Developmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information.		Serious eye damage/irritatio	on
Genotoxicity - in vitroDNA damage and/or repair: Negative. REACH dossier information.Genotoxicity - in vivoChromosome aberration: Negative. REACH dossier information.CarcinogenicityNOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.IARC carcinogenicityIARC Group 3 Not classifiable as to its carcinogenicity to humans.Reproductive toxicityDevelopmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		-	Corrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.
Genotoxicity - in vivo       Chromosome aberration: Negative. REACH dossier information.         Carcinogenicity       NOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.         IARC carcinogenicity       IARC Group 3 Not classifiable as to its carcinogenicity to humans.         Reproductive toxicity       Developmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Germ cell mutagenicity	
Carcinogenicity       NOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.         IARC carcinogenicity       IARC Group 3 Not classifiable as to its carcinogenicity to humans.         Reproductive toxicity       Developmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Genotoxicity - in vitro	DNA damage and/or repair: Negative. REACH dossier information.
Carcinogenicity       NOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.         IARC carcinogenicity       IARC Group 3 Not classifiable as to its carcinogenicity to humans.         Reproductive toxicity       Developmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information.
IARC carcinogenicityIARC Group 3 Not classifiable as to its carcinogenicity to humans.Reproductive toxicityDevelopmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Carcinogenicity	
Reproductive toxicity       Developmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.		Carcinogenicity	NOAEC > 543 mg/m³, Inhalation, Rat REACH dossier information.
Reproductive toxicity - development       Developmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier         information. Read-across data.       information. Read-across data.		IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
development information. Read-across data.		Reproductive toxicity	
SECTION 12: Ecological Information			
	SECTION 12	2: Ecological Information	

### 12.1. Toxicity

Toxicity

Not considered toxic to fish. However, large or frequent spills may have hazardous effects on the environment.

### Ecological information on ingredients.

Hydrocarbons, C3-4-rich, petroleum distillate

Acute toxicity - fish	LC₅₀, 96 hours: 49.47 mg/l, Algae REACH dossier information. QSAR
	2-Butoxyethanol
Acute toxicity - fish	LC₅₀, 96 hours: 1474 mg/l, Onchorhynchus mykiss (Rainbow trout) REACH dossier information.
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 1550 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 911 mg/l, Pseudokirchneriella subcapitata REACH dossier information.
Chronic toxicity - fish early life stage	NOEC, 21 day: > 100 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information.
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 100 mg/l, Daphnia magna REACH dossier information.
	Sodium nitrite
Acute aquatic toxicity	
LE(C)50	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - fish	$LC_{50}$ , 96 hours: 0.54 - 26.3 mg/l, Onchorhynchus mykiss (Rainbow trout) REACH dossier information.
Acute toxicity - aquatic invertebrates	EC₀, 48 hours: 4.6 mg/l, Daphnia magna EC₅₀, 48 hours: 15.4 mg/l, Daphnia magna EC₁₀₀, 48 hours: > 100 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC₅₀, 72 hours: > 100 mg/l, Desmodesmus subspicatus NOEC, 72 hours: 100 mg/l, Desmodesmus subspicatus REACH dossier information.
Acute toxicity - microorganisms	EC₅₀, 24 hours: 285 mg/l, Spirostomum ambiguum EC₅₀, 48 hours: 281 mg/l, Spirostomum ambiguum REACH dossier information.
Chronic toxicity - fish early life stage	NOEC, 29 days: 1.05 mg/l, Cyprinus carpio (Common carp) REACH dossier information.
Chronic toxicity - aquatic invertebrates	NOEC, 80 days: 9.86 mg/l, Penaeus monodon (Asian tiger shrimp) EC₅o, 80 days: 114.9 mg/l, Penaeus monodon (Asian tiger shrimp) LC₅o, 80 days: > 95.6 mg/l, Penaeus monodon (Asian tiger shrimp) REACH dossier information.
	Morpholine
A outo tovicity fich	I.C. Of hourse 170 mg/l Malamuril angeli

Acute toxicity - fishLC50, 96 hours: 179 mg/l, Valamugil engeliREACH dossier information.

Acute toxicity - aquatic	EC₅₀, 48 hours: 45 mg/l, Daphnia magna
invertebrates	REACH dossier information.
Acute toxicity - aquatic plants	EC <sub>50</sub> , 96 hours: 28 mg/l, Pseudokirchneriella subcapitata REACH dossier information.
Acute toxicity -	EC <sub>20</sub> , 30 minutes: > 1000 mg/l, Activated sludge
microorganisms	REACH dossier information.
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 5 mg/l, Daphnia magna REACH dossier information.

### 12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

#### Ecological information on ingredients.

	Hydrocarbons, C3-4-rich, petroleum distillate
Phototransformation	Water - DT₅₀ : 1906 days REACH dossier information. Calculation method.
Biodegradation	Water - Degradation (100%): 385.5 hours REACH dossier information. The substance is readily biodegradable. <b>2-Butoxyethanol</b>
Biodegradation	Water - Degradation (18.3%): 3 days Water - Degradation (40.5%): 6 days Water - Degradation (43%): 8 days Water - Degradation (58.7%): 11 days Water - Degradation (90.4%): 28 days REACH dossier information. The substance is readily biodegradable.
	Morpholine
Phototransformation	Water - DT₅₀ : 2.79 hours Calculation method. REACH dossier information.
Biodegradation	Water - Degradation (2%): 1 day Water - Degradation (5.5%): 15 days Water - Degradation (34.1%): 18 days Water - Degradation (93%): 25 days REACH dossier information. The substance is readily biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential No data	available on bioaccumulation.

Partition coefficient Not determined.

Ecological	information	on ingredients.

		Hydrocarbons, C3-4-rich, petroleum distillate
Partit	ion coefficient	log Pow: 2.3058 REACH dossier information. QSAR
		2-Butoxyethanol
Partit	ion coefficient	log Pow: 0.81 REACH dossier information.
		Morpholine
Bioad	cumulative potential	BCF: $\leq$ 0.65, Cyprinus carpio (Common carp) REACH dossier information.
Partit	ion coefficient	log Pow: -2.55 REACH dossier information.
12.4. Mobility in so	il	
Mobility	The pro	oduct has poor water-solubility.
Ecological information	tion on ingredients.	
		2-Butoxyethanol
Surfa	ce tension	65.03 mN/m @ 20°C REACH dossier information.
		Morpholine
Adso coeffi	rption/desorption cient	log Koc -0.6196 Calculation method. REACH dossier information.
Henry	/'s law constant	0.0116 Pa m³/mol @ 25°C REACH dossier information. Calculation method.
12.5. Results of PE	3T and vPvB assessi	ment
Results of PBT and assessment	<b>d vPvB</b> This pro	oduct does not contain any substances classified as PBT or vPvB.
12.6. Other advers	e effects	
Other adverse effe	cts Not det	ermined.
SECTION 13: Disp	osal considerations	
13.1. Waste treatm	ent methods	
General informatio	<b>General information</b> Dispose of waste product or used containers in accordance with local regulations Do not puncture or incinerate, even when empty.	
SECTION 14: Trar	sport information	
14.1. UN number		
UN No. (ADR/RID)		
UN No. (IMDG)	1950	
UN No. (ICAO)	No. (ICAO) 1950	
UN No. (ADN)	UN No. (ADN) 1950	
14.2. UN proper sh	hipping name	
Proper shipping na (ADR/RID)	ME AEROS	SOLS

Proper	shippina	name	(IMDG)	AEROSOLS
	o nppnig		$(\dots \cup \cup)$	, LEI (000E0

Proper shipping name (ICAO) AEROSOLS

Proper shipping name (ADN) AEROSOLS

14.3.	Transport	hazard	class	(es)
	manoport		0.000	()

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

### Transport labels



### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6.	Special	precautions	for	user	

EmS	F-D, S-U
ADR transport category	2

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	EH40/2005 Workplace exposure limits.	
EU legislation	<ul> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16</li> <li>December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18</li> <li>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> <li>Commission Regulation (EU) No 2015/830 of 28 May 2015.</li> <li>Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (as amended).</li> <li>Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).</li> </ul>	

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information Abbreviations and acronyms ADR: European Agreement concerning the International Carriage of Dangerous Goods by used in the safety data sheet Road. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ATE: Acute Toxicity Estimate. DNEL: Derived No Effect Level. LC₅₀: Lethal Concentration to 50 % of a test population. LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. BCF: Bioconcentration Factor. Classification procedures Aerosol 1 - H222, H229: Expert judgement. according to Regulation (EC) 1272/2008 **Revision comments** Revised formulation. **Revision date** 20/06/2017 Revision 11 Supersedes date 12/11/2015 SDS number 29 Hazard statements in full H220 Extremely flammable gas. H222 Extremely flammable aerosol. H226 Flammable liquid and vapour. H229 Pressurised container: may burst if heated H272 May intensify fire; oxidiser. H280 Contains gas under pressure; may explode if heated. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H400 Very toxic to aquatic life.

The information supplied here is accurate to the best knowledge and belief of Armored Auto UK Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Armored Auto UK Ltd assumes any legal responsibility. Any information or advice obtained from Armored Auto UK Ltd other than by means of this publication, and whether relating to Armored Auto UK Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Armored Auto UK Ltd when used instead of, or in conjunction with materials supplied by Armored Auto UK Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Armored Auto UK Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.