

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	Emerald Bay Car Scents Automotive Air Freshener
Alternative number(s)	CCS-041

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Consumer uses
--------------------------	---------------

1.3 Details of the supplier of the safety data sheet

American Covers, Inc. dba Handstands
 102 West 12200 South
 84020 Draper
 United States

Telephone: 1-800-228-8987 Hours: 8AM-5PM MST
 E-mail: Info@handstands.com

1.4 Emergency telephone number

(800) 255-3924 USA, Canada, Puerto Rico, and US Virgin Islands, +1 (813) 248-0585 International

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Skin corrosion/irritation.	Skin Irrit. 2.	H315.
Skin sensitisation.	Skin Sens. 1.	H317.
Hazardous to the aquatic environment - chronic hazard.	Aquatic Chronic 3.	H412.

For full text of abbreviations: see SECTION 16.

Additional information

Adverse health effects are not reasonably expected from normal use of product. This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word Warning
- Pictograms



Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

- Hazard statements

- H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

- P102 Keep out of reach of children.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

citral, ethyl 2,3-epoxy-3-phenylbutyrate, Hexyl cinnamaldehyde, 4-tert-butylcyclohexyl acetate

Derogations from labelling requirements

Labelling of packages where the contents do not exceed 125 ml

- Signal word Warning

- Hazard pictogram(s)



- Hazard statements

- H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

- P102 Keep out of reach of children.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- Contains

citral, ethyl 2,3-epoxy-3-phenylbutyrate, Hexyl cinnamaldehyde, 4-tert-butylcyclohexyl acetate

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
linalool	CAS No 78-70-6 EC No 201-134-4	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

Name of substance	Identifier	Wt%	Classification acc. to GHS
citral	CAS No 5392-40-5 EC No 226-394-6	1 - < 5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412
2,6-dimethyloct-7-en-2-ol	CAS No 18479-58-8 EC No 242-362-4	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319
ethyl 2,3-epoxy-3-phenylbutyrate	CAS No 77-83-8 EC No 201-061-8	1 - < 5	Skin Sens. 1B / H317 Aquatic Chronic 2 / H411
undecan-4-olide	CAS No 104-67-6 EC No 203-225-4	1 - < 5	Aquatic Chronic 3 / H412
Benzyl acetate	CAS No 140-11-4 EC No 205-399-7	1 - < 5	Aquatic Chronic 3 / H412
(E)-4-(2,6,6-trimethyl-1-cyclohex-en-1-yl)-3-buten-2-one	CAS No 79-77-6 EC No 201-224-3	1 - < 5	Aquatic Chronic 2 / H411
Hexyl cinnamaldehyde	CAS No 101-86-0 EC No 202-983-3	1 - < 5	Skin Sens. 1B / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411
α,α -dimethylphenethyl butyrate	CAS No 10094-34-5 EC No 233-221-8	1 - < 5	Aquatic Chronic 2 / H411
Ethyl butyrate	CAS No 105-54-4 EC No 203-306-4	1 - < 5	Flam. Liq. 3 / H226
4-tert-butylcyclohexyl acetate	CAS No 32210-23-4 EC No 250-954-9	1 - < 5	Skin Sens. 1B / H317

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

Name of substance	Identifier	Wt%	Classification acc. to GHS
2-tert-butylcyclohexyl acetate	CAS No 88-41-5 EC No 201-828-7	1 - < 5	Aquatic Chronic 2 / H411
Ethyl heptanoate	CAS No 106-30-9 EC No 203-382-9	1 - < 5	Flam. Liq. 3 / H226
3-p-cumenyl-2-methylpropionaldehyde	CAS No 103-95-7 EC No 203-161-7	1 - < 5	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Aquatic Chronic 3 / H412
Ethyl 2-methylbutyrate	CAS No 7452-79-1 EC No 231-225-4	1 - < 5	Flam. Liq. 3 / H226
2,6-di-tert-butyl-p-cresol	CAS No 128-37-0 EC No 204-881-4	< 1	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410
citronellol	CAS No 106-22-9 EC No 203-375-0	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317
allyl heptanoate	CAS No 142-19-8 EC No 205-527-1	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412
Galaxolide	CAS No 1222-05-5 EC No 214-946-9	< 1	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410
allyl hexanoate	CAS No 123-68-2 EC No 204-642-4	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	CAS No 127-51-5 EC No 204-846-3	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Aquatic Chronic 2 / H411

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

Name of substance	Identifier	Wt%	Classification acc. to GHS
coumarin	CAS No 91-64-5 EC No 202-086-7	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411
amyl cinnamal	CAS No 122-40-7 EC No 204-541-5	< 1	Skin Sens. 1 / H317 Aquatic Chronic 2 / H411

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage. Sawdust. Kieselgur (diatomite). Sand. Universal binder.

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation
Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as
Heat, High temperatures

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)						
Country	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]
EU	628-63-7	IOELV	50	270	100	540
GB	128-37-0	WEL		10		

Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light brown
Odour	characteristic
- PH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	94 °C
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	not determined
Vapour pressure	not determined
Density	not determined
Vapour density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined
Partition coefficient	
- N-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture				
Name of substance	CAS No	Endpoint	Value	Species
linalool	78-70-6	EC50	71 mg/l	aquatic invertebrates
2,6-dimethyloct-7-en-2-ol	18479-58-8	EC50	47 mg/l	aquatic invertebrates
ethyl 2,3-epoxy-3-phenylbutyrate	77-83-8	EC50	95 mg/l	aquatic invertebrates
Benzyl acetate	140-11-4	EC50	25 mg/l	aquatic invertebrates
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	79-77-6	EC50	200 mg/l	microorganisms
3-p-cumenyl-2-methylpropionaldehyde	103-95-7	EC50	100 mg/l	microorganisms
Ethyl 2-methylbutyrate	7452-79-1	EC50	22.53 mg/l	aquatic invertebrates
2,6-di-tert-butyl-p-cresol	128-37-0	EC50	1.7 mg/l	microorganisms
citronellol	106-22-9	EC50	>10,000 mg/l	microorganisms

12.2 Persistence and degradability

Data are not available

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
2,6-dimethyloct-7-en-2-ol	18479-58-8	carbon dioxide generation	72 %	28 d		ECHA
2,6-dimethyloct-7-en-2-ol	18479-58-8	DOC removal	100 %	28 d		ECHA
ethyl 2,3-epoxy-3-phenylbutyrate	77-83-8	oxygen depletion	11 %	5 d		ECHA
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	79-77-6	oxygen depletion	70 - 80 %	28 d		ECHA

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Ethyl 2-methylbutyrate	7452-79-1	DOC removal	>37 - <39 %	7 d		ECHA
citronellol	106-22-9	oxygen depletion	80 - 90 %	28 d		ECHA
allyl hexanoate	123-68-2	oxygen depletion	19 %	2 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
linalool	78-70-6		2.84	
2,6-dimethyloct-7-en-2-ol	18479-58-8		3.25	
ethyl 2,3-epoxy-3-phenylbutyrate	77-83-8		2.4	
undecan-4-olide	104-67-6		3.6	
(E)-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	79-77-6	202.4	4	
4-tert-butylcyclohexyl acetate	32210-23-4		4.8	
3-p-cumenyl-2-methylpropionaldehyde	103-95-7		3.4	
Ethyl 2-methylbutyrate	7452-79-1		2	
2,6-di-tert-butyl-p-cresol	128-37-0	598.4	5.03	
citronellol	106-22-9		3.41	
allyl heptanoate	142-19-8		3.97	
allyl hexanoate	123-68-2		3.191	
coumarin	91-64-5		1.39	

12.4 Mobility in soil

Data are not available.

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- | | |
|--|--|
| 14.1 UN number | not relevant |
| 14.2 UN proper shipping name | not relevant |
| 14.3 Transport hazard class(es) | not relevant |
| 14.4 Packing group | not relevant |
| 14.5 Environmental hazards | not applicable |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code | The cargo is not intended to be carried in bulk. |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

none of the ingredients are listed

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

List of substances subject to authorisation (REACH, Annex XIV)

none of the ingredients are listed

VOC Deco-Paint Directive 2004/42/EC

VOC content 18.16 %

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 18.18 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

none of the ingredients are listed

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

List of relevant phrases (code and full text as stated in chapter 2 and 3).

Code.	Text.
H226.	Flammable liquid and vapour.
H301.	Toxic if swallowed.
H311.	Toxic in contact with skin.
H315.	Causes skin irritation.
H317.	May cause an allergic skin reaction.
H319.	Causes serious eye irritation.
H331.	Toxic if inhaled.
H400.	Very toxic to aquatic life.
H410.	Very toxic to aquatic life with long lasting effects.
H411.	Toxic to aquatic life with long lasting effects.
H412.	Harmful to aquatic life with long lasting effects.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Emerald Bay Car Scents Automotive Air Freshener

Version number: 1.0

Date of compilation: 2016-02-24

Disclaimer

This SDS has been compiled and is solely intended for this product. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.