

# SAFETY DATA SHEET Simoniz Dashboard Cleaner

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Simoniz Dashboard Cleaner	
Product number	5010218003910, SAPP0127A, SAPP0131A, SAPP0077A, SAPP0153A	
REACH registration notes	This is a MIXTURE; no registration information contained in this document . Holts are classed as Downstream User.	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	Dashboard Shine / Nettoyant tableau de bord	
1.3. Details of the supplier of the	he safety data sheet	
Supplier	A Holts Car Care Product Holt Lloyd International Ltd Barton Dock Road Stretford Manchester M32 0YQ - England, UK +44 (0) 161 866 4800 FAX +44 (0) 161 866 4854 www.holtsauto.com	
Contact person	Regulatory Affairs, Contact Email address: info@holtsauto.com	
1.4. Emergency telephone nur	nber	
Emergency telephone	UK - 00 44 (0) 161 866 4800 Office hrs = 0900 - 1700 hrs Out of office hours Tel: 020 7358 9167	
National emergency telephone https://poisoncentres.echa.europa.eu/ number		
SECTION 2: Hazards identification	ation	
2.1. Classification of the substa	ance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Aerosol 1 - H222, H229	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
Classification (67/548/EEC or 1999/45/EC) 2.2. Label elements	F+;R12.	

### Pictogram



$\mathbf{V}$		
Signal word	Danger	
Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated	
Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> <li>P102 Keep out of reach of children.</li> <li>P101 If medical advice is needed, have product container or label at hand.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>	
Detergent labelling	5 - < 15% aliphatic hydrocarbons, < 5% perfumes	
2.3. Other hazards		
SECTION 3: Composition/inf	ormation on ingredients	
3.2. Mixtures		
BUTANE	3	30-60%
CAS number: 106-97-8	EC number: 203-448-7	
<b>Classification</b> Flam. Gas 1 - H220 Press. Gas	Classification (67/548/EEC or 1999/45/EC) F+;R12	
ISOBUTANE	1	10-30%
CAS number: 75-28-5	EC number: 200-857-2	
<b>Classification</b> Flam. Gas 1 - H220 Press. Gas	Classification (67/548/EEC or 1999/45/EC) F+;R12	
Naphtha (petroleum), hydro	treated heavy (<0.1% Benzene)	5-10%
CAS number: 64742-48-9	EC number: 265-150-3	
<b>Classification</b> Flam. Liq. 3 - H226 STOT SE 3 - H336 Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn;R65. R10,R66,R67.	

SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation

Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Get medical attention if irritation persists after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms	and effects, both acute and delayed
4.3. Indication of any immediat	te medical attention and special treatment needed
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemicals, sand, dolomite etc.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Fire creates: Carbon dioxide (CO2). Carbon monoxide (CO).
5.3. Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
6.2. Environmental precautions	<u>S</u>
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other section	
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.
Storage class	Flammable liquid storage.
7.3. Specific end use(s)	
SECTION 8: Exposure Control	ls/personal protection
8.1. Control parameters Occupational exposure limits BUTANE	

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m<sup>3</sup>

### ISOBUTANE

Long-term exposure limit (8-hour TWA): OES 800 ppm Short-term exposure limit (15-minute): OES 800 ppm WEL = Workplace Exposure Limit

Ingredient comments

WEL = Workplace Exposure Limits

### NON HAZARDOUS INGREDIENTS

WEL = Workplace Exposure Limits Ingredient comments 8.2. Exposure controls Protective equipment Appropriate engineering Provide adequate general and local exhaust ventilation. controls Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Rubber (natural, latex). EN374 Other skin and body Wear appropriate clothing to prevent any possibility of skin contact. protection Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### **SECTION 9: Physical and Chemical Properties**

•	•	
9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Colourless.	
Odour	New Car	
Solubility(ies)	Miscible with water. Alcohols.	
9.2. Other information		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous reactions		
10.4. Conditions to avoid		
Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Strong oxidising agents.	

#### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

 Hazardous decomposition
 Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

 products
 Fire creates: Carbon monoxide (CO).

# SECTION 11: Toxicological information 11.1. Information on toxicological effects

### Inhalation High concentration of mist may be irritating to the upper respiratory tract. Ingestion May cause discomfort if swallowed. Skin contact Prolonged or repeated exposure may cause severe irritation. Eye contact Repeated exposure may cause chronic eye irritation. **SECTION 12: Ecological Information** Ecotoxicity The product is not expected to be hazardous to the environment. 12.1. Toxicity 12.2. Persistence and degradability 12.3. Bioaccumulative potential 12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects SECTION 13: Disposal considerations 13.1. Waste treatment methods **Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. SECTION 14: Transport information 14.1. UN number UN No. (ADR/RID) 1950 UN No. (IMDG) 1950 UN No. (ICAO) 1950 UN No. (ADN) 1950 14.2. UN proper shipping name Proper shipping name AEROSOLS (ADR/RID) Proper shipping name (IMDG) AEROSOLS Proper shipping name (ICAO) AEROSOLS Proper shipping name (ADN) AEROSOLS 14.3. Transport hazard class(es) ADR/RID class 2.1 ADR/RID classification code 5F

ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

### Transport labels



14.4.	Packing	group
-------	---------	-------

ADR/RID packing group	None
IMDG packing group	None
ADN packing group	None
ICAO packing group	None

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user	
EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

### Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
EU legislation	Dangerous Substances Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Aerosol Dispensers Directive 2008/47/EC (2008/47/EC)

### 15.2. Chemical safety assessment

SECTION 16: Other information		
Revision date	07/10/2015	
Revision	2	
Supersedes date	30/10/2012	

SDS number	14524
SDS status	Approved.
Risk phrases in full	<ul> <li>R10 Flammable.</li> <li>R12 Extremely flammable.</li> <li>R65 Harmful: may cause lung damage if swallowed.</li> <li>R66 Repeated exposure may cause skin dryness or cracking.</li> <li>R67 Vapours may cause drowsiness and dizziness.</li> </ul>
Hazard statements in full	<ul> <li>H220 Extremely flammable gas.</li> <li>H222 Extremely flammable aerosol.</li> <li>H226 Flammable liquid and vapour.</li> <li>H229 Pressurised container: may burst if heated</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.