Version 1.3

Revision Date 04.05.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Advance 4T Ultra 10W-40 (SN/MA2)
Product code	:	001F3999

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Engine oil.
Uses advised against	:	This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax	: (+44) 08007318888
	If you have any enquiries about the content of this SDS
Sheet	please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44-(0) 151-350-4595

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)			
Hazard pictograms	:	No Hazard Symbol required	
Signal word	:	No signal word	
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP criteria.	

Version 1.3	Revision Date	04.05.2018	Print Date 05.05.2018
Precautionary statements	: Prevention: Response: Storage: Disposal:	HEALTH HAZARDS Not classified as a h criteria. ENVIRONMENTAL Not classified as env according to CLP cr No precautionary ph No precautionary ph No precautionary ph No precautionary ph	health hazard under CLP HAZARDS: vironmental hazard iteria. hrases. hrases.

Safety data sheet available on request.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature :	Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive diluent.
:	* contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375- 34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01- 2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65- 0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01- 2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69- 9 (01-0000020163-82).

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION	[%]

Version 1.3

Revision Date 04.05.2018

Print Date 05.05.2018

	Registration	(EC) No	
	number	1272/2008)	
Polyolefin polyamine	147880-09-9	Aquatic Chronic4;	1 - 3
succinimide polyol		H413	
Alkaryl amine	36878-20-3	Aquatic Chronic4;	1 - 3
	253-249-4	H413	
	01-2119488911-28		
Polyolefin amide	134758-95-5	Aquatic Chronic4;	1 - 3
alkeneamine borate		H413	
Alkylphenol	121158-58-5	Skin Corr.1C;	0.1 - 0.3
	310-154-3	H314	
		Eye Dam.1; H318	
		Repr.1B; H360F	
		Aquatic Acute1;	
		H400	
		Aquatic Chronic1;	
		H410	
Interchangeable low		Asp. Tox.1; H304	0 - 90
viscosity base oil			
(<20,5 cSt @40°C) *			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders	approp	Idministering first aid, ensure that you are wearing the iate personal protective equipment according to the a nijury and surroundings.
If inhaled		tment necessary under normal conditions of use. toms persist, obtain medical advice.
In case of skin contact	water a	e contaminated clothing. Flush exposed area with nd follow by washing with soap if available. stent irritation occurs, obtain medical attention.
In case of eye contact	Remov rinsing.	ye with copious quantities of water. e contact lenses, if present and easy to do. Continue stent irritation occurs, obtain medical attention.
If swallowed		ral no treatment is necessary unless large quantities Ilowed, however, get medical advice.
Most important symptoms an	ffoote k	oth acute and delayed

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Oil acne/folliculitis signs a	and symptoms may include formation
--	------------------------------------

Version 1.3	Revision Date 04.05.2018	Print Date 05.05.2018
	of black pustules and spots on the s Ingestion may result in nausea, von	niting and/or diarrhoea.
4.3 Indication of any immediate i	medical attention and special treatme	nt needed
Treatment	: Notes to doctor/physician: Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1 Extinguishing media		
Suitable extinguishing media	: Foam, water spray or fog. Dry chen dioxide, sand or earth may be used	
Unsuitable extinguishing media	: Do not use water in a jet.	
5.2 Special hazards arising from	the substance or mixture	
Specific hazards during firefighting	: Hazardous combustion products ma mixture of airborne solid and liquid (smoke). Carbon monoxide may be combustion occurs. Unidentified org compounds.	particulates and gases evolved if incomplete
5.3 Advice for firefighters	·	
Special protective equipment for firefighters	: Proper protective equipment includi gloves are to be worn; chemical res large contact with spilled product is Breathing Apparatus must be worn a confined space. Select fire fighter relevant Standards (e.g. Europe: E	sistant suit is indicated if expected. Self-Contained when approaching a fire in 's clothing approved to
Specific extinguishing methods	: Use extinguishing measures that ar circumstances and the surrounding	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: 6.1.1 For non emergency personnel: Avoid contact with skin and eyes.
	6.1.2 For emergency responders:
	Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions	: Use appropriate containment to avoid environmental
	contamination. Prevent from spreading or entering drains,
	ditches or rivers by using sand, earth, or other appropriate

Version 1.3

Revision Date 04.05.2018

Print Date 05.05.2018

barriers.

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or othe suitable material and dispose of properly.		Methods for cleaning up	Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or ot
---	--	-------------------------	---

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

General Precautions :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
7.1 Precautions for safe handling	
Advice on safe handling :	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Product Transfer :	This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Other data :	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
	Store at ambient temperature.
	Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.
	The storage of this product may be subject to the Control of

Version 1.3	Revision Date 04.05.2018	Print Date 05.05.2018
	Pollution (Oil Storage) (England) Regu guidance may be obtained from the loc agency office.	
Packaging material	: Suitable material: For containers or co steel or high density polyethylene. Unsuitable material: PVC.	ntainer linings, use mild
Container Advice	: Polyethylene containers should not be temperatures because of possible risk	
7.3 Specific end use(s)		
Specific use(s)	: Not applicable	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated. **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods hiip://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods hiip://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances hiip://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany hiip://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure controls

Print Date 05.05.2018

Engineering measuresThe level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Revision Date 04.05.2018

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Version 1.3

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection	
Remarks	 Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but

SAFETY DATA SHEET

Regulation 1907/2006/EC Advance 4T Ultra 10W-40 (SN/MA2)

Revision Date 04.05.2018	Print Date 05.05.201
recognize that suitable gloves offeri	
may not be available and in this cas time maybe acceptable so long as a and replacement regimes are follow a good predictor of glove resistance dependent on the exact composition Glove thickness should be typically depending on the glove make and m	appropriate maintenance red. Glove thickness is not to a chemical as it is n of the glove material. greater than 0.35 mm
 Skin protection is not ordinarily required work clothes. It is good practice to wear chemical 	-
: No respiratory protection is ordinarily conditions of use. In accordance with good industrial h precautions should be taken to avoid If engineering controls do not mainta concentrations to a level which is ac health, select respiratory protection specific conditions of use and meeti Check with respiratory protective eq Where air-filtering respirators are su appropriate combination of mask an Select a filter suitable for combined and vapours [Type A/Type P boiling meeting EN14387 and EN143.	hygiene practices, d breathing of material. ain airborne dequate to protect worker equipment suitable for the ing relevant legislation. uipment suppliers. uitable, select an ind filter. particulate/organic gases
: Not applicable	
: Exposure to this product should be reasonably practicable. Reference s Health and Safety Executive's public Essentials".	should be made to the
ontrols	
: Take appropriate measures to fulfill relevant environmental protection le contamination of the environment by Chapter 6. If necessary, prevent un being discharged to waste water. W treated in a municipal or industrial w before discharge to surface water. Local guidelines on emission limits f must be observed for the discharge vapour.	gislation. Avoid y following advice given in idissolved material from aste water should be vaste water treatment plant for volatile substances
	 and replacement regimes are follow a good predictor of glove resistance dependent on the exact composition Glove thickness should be typically depending on the glove make and n Skin protection is not ordinarily requivers clothes. It is good practice to wear chemical No respiratory protection is ordinaril conditions of use. In accordance with good industrial h precautions should be taken to avoid if engineering controls do not mainta concentrations to a level which is a dehealth, select respiratory protection specific conditions of use and meeti Check with respiratory protective equivalent existing the select a filter suitable for combined and vapours [Type A/Type P boiling meeting EN14387 and EN143. Not applicable Exposure to this product should be treasonably practicable. Reference shealth and Safety Executive's public Essentials".

Version 1.3

Revision Date 04.05.2018

Print Date 05.05.2018

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

• •	
Appearance	: liquid
Colour	: amber
Odour	: Slight hydrocarbon
Odour Threshold	: Data not available
рН	: Not applicable
pour point	: -33 °C
Initial boiling point and boiling range	: > 280 °Cestimated value(s)
Flash point	: 230 °C
Evaporation rate	: Data not available
Flammability (solid, gas)	: Data not available
Upper explosion limit	: Typical 10 %(V)
Lower explosion limit	: Typical 1 %(V)
Vapour pressure	: < 0.5 Pa (20 °C) estimated value(s)
Relative vapour density	: > 1estimated value(s)
Relative density	: 0.858 (15 °C)
Density	: 858 kg/m3 (15 °C) Method: ASTM D4052
Solubility(ies)	
Water solubility	: negligible
Solubility in other solvents	: Data not available
Partition coefficient: n- octanol/water	: log Pow: > 6(based on information on similar products)
Auto-ignition temperature	: > 320 °C
Decomposition temperature	: Data not available
Viscosity	

Version 1.3	Revision Date 04.05.2018	Print Date 05.05.2018
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 90.2 mm2/s (40 °C) Method: ASTM D445	
	14.2 mm2/s (100 °C) Method: ASTM D445	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
9.2 Other information		
Conductivity	: This material is not expected to be a	static accumulator.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Reacts with strong oxidising agents.
10.4 Conditions to avoid Conditions to avoid	:	Extremes of temperature and direct sunlight.
10.5 Incompatible materials Materials to avoid	:	Strong oxidising agents.
10.6 Hazardous decomposition pr	oc	lucts
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Basis for assessment	Information given is based on data on the components and
	the toxicology of similar products.Unless indicated otherwise,

Varaian 1.2		Revision Date 04.05.2018	Print Date 05.05.2018
Version 1.3		Revision Date 04.05.2016	Plint Date 05.05.2018
		the data presented is representative of the product as a whole, rather than for individual component(s).	
Information on likely routes of exposure	:	Skin and eye contact are the primary route although exposure may occur following ac	
Acute toxicity			
Product:			
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification	criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the cla are not met.	assification criteria
Acute dermal toxicity	:	LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification	criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not a sensitiser., Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Version 1.3

Revision Date 04.05.2018

Print Date 05.05.2018

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Version 1.3	Revision Date 04.05.2018	Print Date 05.05.2018
Summary on evaluation of Germ cell mutagenicity- Assessment	of the CMR properties : This product does not meet the crite categories 1A/1B.	ria for classification in
Carcinogenicity - Assessment	: This product does not meet the crite categories 1A/1B.	ria for classification in
Reproductive toxicity - Assessment	: This product does not meet the crite categories 1A/1B.	ria for classification in

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Toxicity to fish (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic	:	Remarks: Data not available
toxicity) Toxicity to crustacean (Chronic toxicity) Toxicity to microorganisms	:	Remarks: Data not available
(Acute toxicity)	•	Remarks: Data not available

Components: Alkylphenol :

Version 1.3	Revision Date 04.05.2018	Print Date 05.05.2018
M-Factor (Acute aquatic toxicity)	: 1	
12.2 Persistence and degradabili	ity	
Product:		
Biodegradability	: Remarks: Not readily biodegradable., inherently biodegradable, but contains persist in the environment.	
12.3 Bioaccumulative potential		
Product:		
Bioaccumulation	: Remarks: Contains components with t bioaccumulate.	he potential to
Partition coefficient: n- octanol/water	: log Pow: > 6Remarks: (based on infor products)	mation on similar
12.4 Mobility in soil		
Product:		
Mobility	 Remarks: Liquid under most environm enters soil, it will adsorb to soil particle mobile. Remarks: Floats on water. 	
12.5 Results of PBT and vPvB as	sessment	
Product:		
Assessment	: This mixture does not contain any RE/ substances that are assessed to be a	
12.6 Other adverse effects		
Product:		
Additional ecological information	 Does not have ozone depletion potent ozone creation potential or global warr is a mixture of non-volatile component released to air in any significant quant conditions of use. Poorly soluble mixture., Causes physic organisms. 	ning potential., Product s, which will not be ities under normal

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Recover or recycle if possible.
	It is the responsibility of the waste generator to determine the
	toxicity and physical properties of the material generated to
	determine the proper waste classification and disposal

Version 1.3	Revision Date 04.05.2018	Print Date 05.05.2018
	methods in compliance with applicab Do not dispose into the environment, courses	
	Waste product should not be allowed ground water, or be disposed of into Waste, spills or used product is dang	the environment.
Contaminated packaging	: Dispose in accordance with prevailing to a recognized collector or contractor the collector or contractor should be Disposal should be in accordance with national, and local laws and regulation	r. The competence of established beforehand. the applicable regional,
Local legislation		
Waste catalogue	:	
	EU Waste Disposal Code (EWC):	
Waste Code	:	
	13 02 06*	
Remarks	: Disposal should be in accordance win national, and local laws and regulation	
	Classification of waste is always the user.	responsibility of the end

SECTION 14: Transport information

14.1 UN number	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
ΙΑΤΑ	Not regulated as a dangerous good
14.2 Proper shipping name	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
ΙΑΤΑ	Not regulated as a dangerous good
14.3 Transport hazard class	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
ΙΑΤΑ	Not regulated as a dangerous good
14.4 Packing group	

800010016753 GB

Version 1.3	Revision Date 04.05.2018	Print Date 05.05.2018
ADR RID IMDG IATA	 Not regulated as a dangerous good 	
14.5 Environmental hazards		
ADR RID IMDG	 Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good 	
14.6 Special precautions for user		
Remarks	: Special Precautions: Refer to Chapter a for special precautions which a user need needs to comply with in connection with	eds to be aware of or

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation	:	Product is not subject to
(Annex XIV)		Authorisation under REACH.

Volatile organic compounds : 0 %

: Environmental Protection Act 1990 (as amended). Health and Other regulations Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on

Version 1.3

Revision Date 04.05.2018

Print Date 05.05.2018

Ozone-Depleting Substances) Regulations 2011.

The components of this product are reported in the following inventories:

EINECS	:	All components listed or polymer exempt.
TSCA	:	All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

,

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Repr. Skin Corr. Abbreviations and Acro	Chronic a Aspiratio Serious e Reprodue Skin corr	eye damage ctive toxicity
--	--	------------------------------

SAFETY DATA SHEET

Regulation 1907/2006/EC

Advance 4T Ultra 10W-40 (SN/MA2)

Revision Date 04.05.2018	Print Date 05.05.2018		
DSL = Canada Domestic Substance List			
EC50 = Effective Concentration fifty ECETOC = European Center on Ecotoxicology and Toxicology Of Chemicals ECHA = European Chemicals Agency EINECS = The European Inventory of Existing Commercial			
		Chemical Substances	
			v Chemical Substances
	a of Classification and		
	n of Classification and		
	soarch on Cancor		
	A = International Air Transport Association		
	ierous Goods		
	P346 = Institute of Petroleum test method N° 346 for the		
determination of polycyclic aromatic			
KECI = Korea Existing Chemicals In			
LC50 = Lethal Concentration fifty	-		
LD50 = Lethal Dose fifty per cent.			
LL/EL/IL = Lethal Loading/Effective	Loading/Inhibitory loading		
	n for the Prevention of		
	Concentration / No		
	High Droduction Volume		
,			
PNEC = Predicted No Effect Concentration	ntration		
Chemicals			
	national Carriage of		
Dangerous Goods by Rail SKIN_DES = Skin Designation			
STEL = Short term exposure limit			
TRA = Targeted Risk Assessment			
TSCA = US Toxic Substances Contr	rol Act		
vPvB = very Persistent and very Bio	accumulative		
:			
	DSL = Canada Domestic Substance EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Center on Ec Toxicology Of Chemicals ECHA = European Chemicals Agen EINECS = The European Inventory Chemical Substances EL50 = Effective Loading fifty ENCS = Japanese Existing and New Inventory EWC = European Waste Code GHS = Globally Harmonised System Labelling of Chemicals IARC = International Agency for Res IATA = International Agency for Res IATA = International Air Transport A IC50 = Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG = International Maritime Dang INV = Chinese Chemicals Inventory IP346 = Institute of Petroleum test determination of polycyclic aromatic KECI = Korea Existing Chemicals In LC50 = Lethal Concentration fifty LD50 = Lethal Dose fifty per cent. LL/EL/IL = Lethal Loading/Effective LL50 = Lethal Loading fifty MARPOL = International Convention Pollution From Ships NOEC/NOEL = No Observed Effect Observed Effect Level OE_HPV = Occupational Exposure PBT = Persistent, Bioaccumulative a PICCS = Philippine Inventory of Che Substances PNEC = Predicted No Effect Concel REACH = Registration Evaluation A Chemicals RID = Regulations Relating to Interr Dangerous Goods by Rail SKIN_DES = Skin Designation STEL = Short term exposure limit TRA = Targeted Risk Assessment		

Provide adequate information, instruction and training for operators.

Version 1.3	Revision Date 04.05.2018	Print Date 05.05.2018	
Other information	: No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.		
	A vertical bar () in the left margin ind from the previous version.	dicates an amendment	
Sources of key data used to compile the Safety Data Sheet	:		
	The quoted data are from, but not lir sources of information (e.g. toxicolog Health Services, material suppliers' IUCLID date base, EC 1272 regulati	gical data from Shell data, CONCAWE, EU	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.