



SAFETY DATA SHEET

Armor All® Air Freshener 3ct Cards Arctic Cool

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Armor All® Air Freshener 3ct Cards Arctic Cool
Product number 18521

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hanging air freshener.
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Armored Auto UK Ltd
 Unit 16, Rassau Industrial Estate
 Ebbw Vale
 Gwent NP23 5SD
 UK
 Tel: +44 1495 350234
 Fax: + 44 1495 350431
 euregulatory@eu.spectrumbrands.com

1.4. Emergency telephone number

Emergency telephone +44 1495 350234
 Monday - Thursday: 0830 - 1700
 Friday: 0830 - 1530

SECTION 2: Hazards identification


2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319 Skin Sens. 1 - H317
Environmental hazards Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H411 Toxic to aquatic life with long lasting effects.

Armor All® Air Freshener 3ct Cards Arctic Cool

Exemptions from CLP Article 17 [Article 29(2)] - 1.5.2.1. Labelling of packages where the contents do not exceed 125 ml] The following are not required for labelling: H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P501 Dispose of contents/ container in accordance with national regulations.

Contains benzyl salicylate, Linalool, d-Limonene, coumarin

Supplementary precautionary statements

P272 Contaminated work clothing should not be allowed out of the workplace.
 P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Benzyl benzoate 10 - <25%		
CAS number: 120-51-4	EC number: 204-402-9	REACH registration number: 01-2119976371-33-XXXX
M factor (Acute) = 1		
Classification		
Acute Tox. 4 - H302		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		
benzyl salicylate 5 - <10%		
CAS number: 118-58-1	EC number: 204-262-9	REACH registration number: 01-2119969442-31-XXXX
Classification		
Eye Irrit. 2 - H319		
Skin Sens. 1B - H317		
Aquatic Chronic 3 - H412		
2,6-Dimethyloct-7-en-2-ol 5 - <10%		
CAS number: 18479-58-8	EC number: 242-362-4	REACH registration number: 01-2119457274-37-XXXX
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		

Armor All® Air Freshener 3ct Cards Arctic Cool

linalyl acetate 2 - <3%		
CAS number: 115-95-7	EC number: 204-116-4	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		
Linalool 1 - <2.5%		
CAS number: 78-70-6	EC number: 201-134-4	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317		
d-Limonene 0.5 - <1%		
CAS number: 5989-27-5	EC number: 227-813-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
7-hydroxycitronellal 0.25 - <0.5%		
CAS number: 107-75-5	EC number: 203-518-7	REACH registration number: 01-2119973482-31-XXXX
Classification Eye Irrit. 2 - H319 Skin Sens. 1B - H317		
borman-2-one 0.25 - <0.5%		
CAS number: 76-22-2	EC number: 200-945-0	REACH registration number: 01-2119966156-31-XXXX
Classification Flam. Sol. 2 - H228 Acute Tox. 4 - H302 Acute Tox. 4 - H332 STOT SE 2 - H371		

Armor All® Air Freshener 3ct Cards Arctic Cool

cineole	0.25 - <0.5%
CAS number: 470-82-6	EC number: 207-431-5
Classification	
Flam. Liq. 3 - H226	
Skin Sens. 1B - H317	
coumarin	0.25 - <0.5%
CAS number: 91-64-5	EC number: 202-086-7
	REACH registration number: 01-2119949300-45-XXXX
Classification	
Acute Tox. 4 - H302	
Skin Sens. 1 - H317	
Aquatic Chronic 3 - H412	
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	0.25 - <0.5%
CAS number: 68039-49-6	EC number: 268-264-1
Classification	
Skin Irrit. 2 - H315	
Skin Sens. 1B - H317	
Aquatic Chronic 2 - H411	
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	0.25 - <0.5%
CAS number: 28219-61-6	EC number: 248-908-8
M factor (Acute) = 1	M factor (Chronic) = 1
Classification	
Eye Irrit. 2 - H319	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
2,6-di-tert-butyl-p-cresol	0.25 - <0.5%
CAS number: 128-37-0	EC number: 204-881-4
	REACH registration number: 01-2119480433-40-XXXX
M factor (Acute) = 1	M factor (Chronic) = 1
Classification	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Armor All® Air Freshener 3ct Cards Arctic Cool

Inhalation	If throat irritation or coughing persists, proceed as follows. Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms are severe or persist.
Skin contact	Brush off loose particles from skin. Wash with plenty of water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms are severe or persist after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Drowsiness. Dizziness.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur. May cause sensitisation or allergic reactions in sensitive individuals. Gastrointestinal symptoms, including upset stomach.
Skin contact	Due to the physical nature of this product, exposure by this route is unlikely. May cause skin sensitisation or allergic reactions in sensitive individuals. Prolonged skin contact may cause redness and irritation. Prolonged contact may cause dryness of the skin.
Eye contact	Due to the physical nature of this product, exposure by this route is unlikely. Irritating to eyes. Particles in the eyes may cause irritation and smarting. Solid particles trapped behind the eyelid may cause abrasive damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. Keep affected person under observation.
-----------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting	Use water to keep fire exposed containers cool and disperse vapours.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

Armor All® Air Freshener 3ct Cards Arctic Cool

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Eliminate all ignition sources if safe to do so. Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Eliminate all ignition sources if safe to do so. Do not touch or walk into spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Use only non-sparking tools. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Ground/bond container and receiving equipment. Take precautionary measures against static discharges. Keep away from heat, sparks and open flame. Provide adequate ventilation.

Advice on general occupational hygiene Avoid contact with eyes and prolonged skin contact. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in a cool and well-ventilated place. Keep away from heat, sparks and open flame. Take precautionary measures against static discharges.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

bornan-2-one

Long-term exposure limit (8-hour TWA): WEL 2 ppm 13 mg/m³

Short-term exposure limit (15-minute): WEL 3 ppm 19 mg/m³

WEL = Workplace Exposure Limit

Benzyl benzoate (CAS: 120-51-4)

Armor All® Air Freshener 3ct Cards Arctic Cool

DNEL

Workers - Inhalation; Long term systemic effects: 5.1 mg/m³
 Workers - Inhalation; Short term systemic effects: 102 mg/m³
 Workers - Dermal; Long term systemic effects: 2.6 mg/kg/day
 General population - Inhalation; Long term systemic effects: 1.25 mg/m³
 General population - Inhalation; Long term systemic effects: 25 mg/m³
 General population - Dermal; Long term systemic effects: 1.3 mg/kg/day
 General population - Oral; Long term systemic effects: 0.4 mg/kg/day
 General population - Oral; Short term systemic effects: 78 mg/kg/day

PNEC

Fresh water; 0.017 mg/l
 marine water; 0.002 mg/l
 STP; 100 mg/l
 Sediment (Freshwater); 10.66 mg/kg
 Sediment (Marinewater); 1.07 mg/kg
 Soil; 2.12 mg/kg

benzyl salicylate (CAS: 118-58-1)

DNEL

Workers - Inhalation; Long term systemic effects: 3.17 mg/m³
 Workers - Dermal; Long term systemic effects: 0.9 mg/kg/day
 General population - Inhalation; Long term systemic effects: 0.78 mg/m³
 General population - Dermal; Long term systemic effects: 0.45 mg/kg/day
 General population - Oral; Long term systemic effects: 0.45 mg/kg/day

PNEC

Fresh water; 0.001 mg/l
 marine water; 0 mg/l
 STP; 10 mg/l
 Sediment (Freshwater); 0.583 mg/kg
 Sediment (Marinewater); 0.058 mg/kg
 Soil; 1.41 mg/kg
 Oral; 80 mg/kg

2,6-Dimethyloct-7-en-2-ol (CAS: 18479-58-8)

DNEL

Workers - Inhalation; Long term systemic effects: 73.5 mg/m³
 Workers - Dermal; Long term systemic effects: 20.8 mg/kg/day
 General population - Inhalation; Long term systemic effects: 21.7 mg/m³
 General population - Dermal; Long term systemic effects: 12.5 mg/kg/day
 General population - Oral; Long term systemic effects: 12.5 mg/kg/day

PNEC

Fresh water; 0.0278 mg/l
 marine water; 0.00278 mg/l
 STP; 10 mg/l
 Sediment (Freshwater); 0.594 mg/kg
 Sediment (Marinewater); 0.059 mg/kg
 Soil; 0.103 mg/kg
 Oral; 111 mg/kg

benzyl acetate (CAS: 140-11-4)

DNEL

Workers - Inhalation; Long term systemic effects: 9 mg/m³
 Workers - Dermal; Long term systemic effects: 2.5 mg/kg/day
 General population - Inhalation; Long term systemic effects: 2.2 mg/m³
 General population - Dermal; Long term systemic effects: 1.3 mg/kg/day
 General population - Oral; Long term systemic effects: 1.3 mg/kg/day

Armor All® Air Freshener 3ct Cards Arctic Cool

PNEC

Fresh water; 0.018 mg/l
 marine water; 0.002 mg/l
 STP; 8.55 mg/l
 Sediment (Freshwater); 0.526 mg/kg
 Sediment (Marinewater); 0.053 mg/kg
 Soil; 0.094 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. All handling should only take place in well-ventilated areas. Avoid inhalation of vapours and spray/mists. Use explosion-proof electrical, ventilating and lighting equipment.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Wear tight-fitting, chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

Do not smoke in work area. Wash promptly with soap and water if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.

Environmental exposure controls

Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Solid.
Colour	Various colours.
Odour	Characteristic.
Odour threshold	Not determined.
pH	Not determined.
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Not determined.
Evaporation rate	Not determined.

Armor All® Air Freshener 3ct Cards Arctic Cool

Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	Not determined.
Bulk density	Not determined.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.

9.2. Other information

Other information No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and open flame. Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO₂). Carbon monoxide (CO). Toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 12,092.63

Armor All® Air Freshener 3ct Cards Arctic Cool

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Toxicological information on ingredients.

Benzyl benzoate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,880.0

Species Rat

ATE oral (mg/kg) 1,880.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit REACH dossier information.

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Very slight erythema - barely perceptible (1). Oedema score: No oedema (0). Not irritating. REACH dossier information.

Serious eye damage/irritation

Armor All® Air Freshener 3ct Cards Arctic Cool

Serious eye damage/irritation Dose: 0.1 ml, 7 days, Rabbit Not irritating. REACH dossier information.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Not sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. REACH dossier information.

Genotoxicity - in vivo DNA damage and/or repair: Negative. REACH dossier information.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 781 mg/kg/day, Dermal, Rat REACH dossier information.

benzyl salicylate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 3,031.0

Species Rat

ATE oral (mg/kg) 3,031.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Serious eye damage/irritation

Serious eye damage/irritation Irritating to eyes.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative.

Genotoxicity - in vivo Chromosome aberration: Negative.

Reproductive toxicity

Reproductive toxicity - fertility One-generation study - NOAEL 180 mg/kg/day, Oral, Rat P

Reproductive toxicity - development Maternal toxicity: - NOAEL: 360 mg/kg/day, Oral, Rat

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOEL 360 mg/kg/day, Oral, Rat

2,6-Dimethyloct-7-en-2-ol

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 4,100.0

Species Rat

Armor All® Air Freshener 3ct Cards Arctic Cool

Notes (oral LD₅₀) REACH dossier information. Read-across data.

ATE oral (mg/kg) 4,100.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,000.0

Species Rabbit

Notes (dermal LD₅₀) REACH dossier information. Read-across data.

ATE dermal (mg/kg) 5,000.0

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 4 hours, Rabbit REACH dossier information.

Serious eye damage/irritation

Serious eye damage/irritation Moderately irritating. REACH dossier information. Eye Irrit. 2 - H319 Causes serious eye irritation.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative. REACH dossier information.

Reproductive toxicity

Reproductive toxicity - development Developmental toxicity:, Maternal toxicity: - NOAEL: 1000 mg/kg/day, Oral, Rat REACH dossier information.

linalyl acetate

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ >9000 mg/kg, Oral, Rat REACH dossier information.

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit REACH dossier information.

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Slight oedema - edges of area well defined by definite raising (2). REACH dossier information. Irritating.

Serious eye damage/irritation

Serious eye damage/irritation REACH dossier information. Eye Irrit. 2 - H319 Causes serious eye irritation.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative. REACH dossier information.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information.

Reproductive toxicity

Reproductive toxicity - fertility Screening - NOAEL 500 mg/kg/day, Oral, Rat P REACH dossier information.

Reproductive toxicity - development Developmental toxicity: - NOEL: 1000 mg/kg/day, Oral, Rat REACH dossier information.

Specific target organ toxicity - repeated exposure

Armor All® Air Freshener 3ct Cards Arctic Cool

STOT - repeated exposure NOAEL 160 mg/kg/day, Oral, Rat REACH dossier information.

Linalool

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,790.0

Species Rat

Notes (oral LD₅₀) REACH dossier information.

ATE oral (mg/kg) 2,790.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,610.0

Species Rabbit

Notes (dermal LD₅₀) REACH dossier information.

ATE dermal (mg/kg) 5,610.0

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Slight oedema - edges of area well defined by definite raising (2). REACH dossier information. Irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.1 ml, 1 hour, Rabbit REACH dossier information. Irritating.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative. REACH dossier information.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information.

Reproductive toxicity

Reproductive toxicity - fertility Screening - NOAEL 500 mg/kg/day, Oral, Rat P REACH dossier information. Based on available data the classification criteria are not met.

Reproductive toxicity - development Developmental toxicity: - NOAEL: 1000 mg/kg/day, Oral, Rat REACH dossier information.

d-Limonene

Acute toxicity - oral

Notes (oral LD₅₀) > 2000 mg/kg Rat REACH dossier information. Read-across data.

Skin corrosion/irritation

Animal data Irritating to skin. REACH dossier information.

Serious eye damage/irritation

Armor All® Air Freshener 3ct Cards Arctic Cool

Serious eye damage/irritation	Dose: 0.1 ml, 7 days, Rabbit REACH dossier information. Not irritating.
<u>Skin sensitisation</u>	
Skin sensitisation	Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Gene mutation: Negative. REACH dossier information.
Genotoxicity - in vivo	DNA damage and/or repair: Negative. REACH dossier information.
<u>Carcinogenicity</u>	
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	NOAEL 1650 mg/kg/day, Oral, Mouse REACH dossier information.
<u>Aspiration hazard</u>	
Aspiration hazard	1.003 cSt @ 25°C/77°F REACH dossier information. Read-across data. Asp. Tox. 1 - H304

benzyl acetate

<u>Acute toxicity - oral</u>	
Notes (oral LD₅₀)	LD ₅₀ >2000 mg/kg, Oral, Rat
<u>Acute toxicity - dermal</u>	
Notes (dermal LD₅₀)	LD ₅₀ >5000 mg/kg, Dermal, Rabbit
<u>Skin corrosion/irritation</u>	
Animal data	Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Very slight erythema - barely perceptible (1). Oedema score: No oedema (0). Not irritating.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Dose: 0.1 ml, 7 days, Rabbit Not irritating.
<u>Skin sensitisation</u>	
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative.
Genotoxicity - in vivo	DNA damage and/or repair: Negative.
<u>Carcinogenicity</u>	
Carcinogenicity	NOAEL 1200 mg/kg/day, Oral, Rat
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Multi-generation study - NOAEL 1 %, Oral, Rat P
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	NOAEL 500 mg/kg/day, Oral, Rat

Armor All® Air Freshener 3ct Cards Arctic Cool

7-hydroxycitronellal

Acute toxicity - oral

Notes (oral LD₅₀) REACH dossier information.

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀, : > 2000 mg/kg, Rabbit, REACH dossier information. Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). REACH dossier information. Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 50 µl, Rabbit, REACH dossier information. Eye Irrit. 2 - H319 Causes serious eye irritation.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. REACH dossier information.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information.

Reproductive toxicity

Reproductive toxicity - fertility Screening - NOAEL 200 mg/kg/day, Oral, Rat P REACH dossier information.

borman-2-one

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Acute toxicity - inhalation

ATE inhalation (dusts/mists mg/l) 1.5

cineole

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rat Read-across data.

Skin corrosion/irritation

Human skin model test Cell Viability (89%) 15 minutes Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.75 ml, 10 minutes, Not irritating.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative.

Armor All® Air Freshener 3ct Cards Arctic Cool

Genotoxicity - in vivo	Gene mutation: Negative.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Screening - NOAEL 600 mg/kg/day, Oral, Rat P
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	NOAEL 600 mg/kg/day, Oral, Rat
	<u>coumarin</u>
<u>Acute toxicity - oral</u>	
Notes (oral LD₅₀)	REACH dossier information. cATpE: Converted Acute Toxicity Point Estimate.
ATE oral (mg/kg)	500.0
<u>Skin corrosion/irritation</u>	
Animal data	Primary dermal irritation index: 1.15 REACH dossier information. Not irritating. Read-across data.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	REACH dossier information. Not irritating. Read-across data.
<u>Skin sensitisation</u>	
Skin sensitisation	Sensitising. REACH dossier information.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Chromosome aberration: Negative. REACH dossier information.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information.
<u>Carcinogenicity</u>	
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Two-generation study - NOEC > 0.25 %, Oral, Mouse P, F1 REACH dossier information.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

Ecological information on ingredients.

Benzyl benzoate

<u>Acute aquatic toxicity</u>	
LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 2.32 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information.

Armor All® Air Freshener 3ct Cards Arctic Cool

Acute toxicity - aquatic invertebrates	NOEC, 48 hours: 1.73 mg/l, Daphnia magna EC ₅₀ , 48 hours: 3.09 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	NOEC, 72 hours: 0.247 mg/l, Pseudokirchneriella subcapitata EC ₅₀ , 72 hours: 0.475 mg/l, Pseudokirchneriella subcapitata REACH dossier information.
<u>Chronic aquatic toxicity</u>	
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.258 mg/l, Daphnia magna LOEC, 21 days: 0.455 mg/l, Daphnia magna REACH dossier information.

benzyl salicylate

<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LC ₅₀ , 96 hours: 1.03 mg/l, Brachydanio rerio (Zebra Fish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 1.16 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 1.29 mg/l, Pseudokirchneriella subcapitata

2,6-Dimethyloct-7-en-2-ol

<u>Acute aquatic toxicity</u>	
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 38 mg/l, Daphnia magna NOEC, 48 hours: 10 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 80 mg/l, Desmodesmus subspicatus NOEC, 72 hours: 25 mg/l, Desmodesmus subspicatus LOEC, 72 hours: 50 mg/l, Desmodesmus subspicatus REACH dossier information.

linalyl acetate

<u>Acute aquatic toxicity</u>	
Acute toxicity - fish	LC ₅₀ , 96 hours: 11 mg/l, Cyprinus carpio (Common carp) REACH dossier information.
Acute toxicity - aquatic invertebrates	NOEC, 48 hours: 10 mg/l, Daphnia magna EC ₅₀ , 48 hours: 15 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 62 mg/l, Desmodesmus subspicatus NOEC, 72 hours: 9.6 mg/l, Desmodesmus subspicatus REACH dossier information.
Acute toxicity - microorganisms	EC ₂₀ , 30 minutes: > 1000 mg/l, Activated sludge REACH dossier information.

d-Limonene

<u>Acute aquatic toxicity</u>	
LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1

Armor All® Air Freshener 3ct Cards Arctic Cool

M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 0.720 mg/l, Pimephales promelas (Fat-head Minnow) REACH dossier information.
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0.36 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 150 mg/l, Desmodemus subspicatus REACH dossier information. Read-across data.
Acute toxicity - microorganisms	EC ₅₀ , 3 hours: 209 mg/l, Activated sludge REACH dossier information. Read-across data.

Chronic aquatic toxicity

M factor (Chronic)	1
---------------------------	---

benzyl acetate

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 4 mg/l, Oryzias latipes (Red killifish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 17 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 110 mg/l, Desmodemus subspicatus

Chronic aquatic toxicity

Chronic toxicity - fish early life stage	NOEC, 28 days: 0.92 mg/l, Oryzias latipes (Red killifish)
---	---

coumarin

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 1.324 mg/l, REACH dossier information. QSAR
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 8.012 mg/l, Daphnia sp. REACH dossier information. QSAR
Acute toxicity - aquatic plants	EC ₅₀ , 96 hours: 1.452 mg/l, NOEC, 96 hours: 0.408 mg/l, REACH dossier information. QSAR
Acute toxicity - microorganisms	NOEC, 28 days: 100 mg/l, Activated sludge REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.448 mg/l, Daphnia sp. REACH dossier information. QSAR
---	--

Armor All® Air Freshener 3ct Cards Arctic Cool

2,6-di-tert-butyl-p-cresol

Acute aquatic toxicity

LE(C)₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: ≥ 0.57 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information.
Acute toxicity - aquatic invertebrates	EC ₅₀ , 24 hours: > 0.7 mg/l, Daphnia magna EC ₅₀ , 48 hours: 0.48 - 0.61 mg/l, Daphnia magna NOEC, 48 hours: 0.15 - 0.23 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: > 0.4 mg/l, Desmodium subspicatus REACH dossier information.
Acute toxicity - microorganisms	EC ₅₀ , 3 hours: 1000 mg/l, Activated sludge EC ₅₀ , 3 hours: > 10000 mg/l, Activated sludge REACH dossier information.

Chronic aquatic toxicity

NOEC	0.01 < NOEC ≤ 0.1
M factor (Chronic)	1
Chronic toxicity - aquatic invertebrates	EC ₅₀ , 21 days: > 0.39 mg/l, Daphnia magna NOEC, 21 days: 0.316 mg/l, Daphnia magna LOEC, 21 days: 1 mg/l, Daphnia magna REACH dossier information.

12.2. Persistence and degradability

Persistence and degradability No data available.

Ecological information on ingredients.

Benzyl benzoate

Biodegradation	Water - Degradation 94%: 28 days The substance is readily biodegradable. REACH dossier information.
-----------------------	---

benzyl salicylate

Biodegradation	Water - Degradation 93%: 28 days
-----------------------	----------------------------------

2,6-Dimethyloct-7-en-2-ol

Biodegradation	Water - Degradation (72%): 28 days REACH dossier information. The substance is readily biodegradable.
-----------------------	---

linalyl acetate

Stability (hydrolysis)	- Half-life : < 1 day @ 25°C REACH dossier information.
-------------------------------	--

Armor All® Air Freshener 3ct Cards Arctic Cool

Biodegradation Water - Degradation (0 - 10%): 1 day
 Water - Degradation (10 - 20%): 2 days
 Water - Degradation (70 - 80%): 20 days
 REACH dossier information.
 The substance is readily biodegradable.

d-Limonene

Phototransformation Water - Half-life : 0.365 hours
 REACH dossier information.
 QSAR

Biodegradation Water - Degradation (80%): 28 days
 REACH dossier information.
 Read-across data.
 The substance is readily biodegradable.

benzyl acetate

Biodegradation Water - Degradation 100.9%: 28 days
 The substance is readily biodegradable.

coumarin

Biodegradation Water - Degradation (100%): 28 days
 REACH dossier information.
 The substance is readily biodegradable.

2,6-di-tert-butyl-p-cresol

Phototransformation Water - DT₅₀ : ~ 7 hours
 REACH dossier information.
 QSAR

Stability (hydrolysis) - Half-life : 4 - 8 days @ 20°C
 REACH dossier information.

Biodegradation Water - Degradation (4.5%): 28 days
 REACH dossier information.
 No biodegradation observed under test conditions.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

Ecological information on ingredients.

Benzyl benzoate

Bioaccumulative potential BCF: 193.4 L/kg, Calculation method. REACH dossier information.

Partition coefficient log Pow: ~ 3.97 REACH dossier information.

benzyl salicylate

Partition coefficient log Pow: 4

Armor All® Air Freshener 3ct Cards Arctic Cool

2,6-Dimethyloct-7-en-2-ol

Bioaccumulative potential BCF: 64.8 l/kg, Fish REACH dossier information. QSAR

linalyl acetate

Bioaccumulative potential BCF: 173.9 l/kg, Fish REACH dossier information. Calculation method.

d-Limonene

Bioaccumulative potential BCF: 1022, REACH dossier information. QSAR

Partition coefficient log Pow: 4.38 REACH dossier information.

benzyl acetate

Bioaccumulative potential BCF: 8, Calculation method.

Partition coefficient log Pow: 1.96

coumarin

Partition coefficient log Pow: 1.39 REACH dossier information.

2,6-di-tert-butyl-p-cresol

Bioaccumulative potential BCF: 330 - 1800, Cyprinus carpio (Common carp) REACH dossier information.

Partition coefficient log Pow: 5.1 REACH dossier information.

12.4. Mobility in soil

Mobility The product is partly soluble in water and may spread in the aquatic environment.

Ecological information on ingredients.

Benzyl benzoate

Adsorption/desorption coefficient Water - Log Koc: 3.8 @ 40°C REACH dossier information.

benzyl salicylate

Mobility Slightly soluble in water.

Adsorption/desorption coefficient Log Koc: 3.75

Surface tension 69 mN/m @ 20°C

2,6-Dimethyloct-7-en-2-ol

Adsorption/desorption coefficient Water - log Koc: 2.25 @ 35°C REACH dossier information.

linalyl acetate

Henry's law constant 176.31 Pa m³/mol @ 25°C REACH dossier information.

Armor All® Air Freshener 3ct Cards Arctic Cool

d-Limonene

Adsorption/desorption coefficient Water - Koc : 1984 REACH dossier information. QSAR

benzyl acetate

Adsorption/desorption coefficient Log Koc: 2.4

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

Benzyl benzoate

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

benzyl salicylate

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

2,6-Dimethyloct-7-en-2-ol

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

linalyl acetate

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

d-Limonene

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

benzyl acetate

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

2,6-di-tert-butyl-p-cresol

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Armor All® Air Freshener 3ct Cards Arctic Cool

General information Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). Refer to the Dangerous Goods List for information on any Special Provisions 335 / A158.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Armor All® Air Freshener 3ct Cards Arctic Cool

Abbreviations and acronyms used in the safety data sheet	<p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>IATA: International Air Transport Association.</p> <p>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>DNEL: Derived No Effect Level.</p> <p>LC₅₀: Lethal Concentration to 50 % of a test population.</p> <p>LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>BCF: Bioconcentration Factor.</p>
Classification procedures according to Regulation (EC) 1272/2008	Skin Sens. 1 - H317, Eye Irrit. 2 - H319, Aquatic Chronic 2 - H411: Calculation method.
Revision date	01/05/2019
Revision	1
Supersedes date	19/09/2017
SDS number	1094
Hazard statements in full	<p>H226 Flammable liquid and vapour.</p> <p>H228 Flammable solid.</p> <p>H302 Harmful if swallowed.</p> <p>H304 May be fatal if swallowed and enters airways.</p> <p>H315 Causes skin irritation.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H319 Causes serious eye irritation.</p> <p>H332 Harmful if inhaled.</p> <p>H371 May cause damage to organs (Lungs) if inhaled.</p> <p>H400 Very toxic to aquatic life.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>

The information supplied here is accurate to the best knowledge and belief of Armored Auto UK Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Armored Auto UK Ltd assumes any legal responsibility. Any information or advice obtained from Armored Auto UK Ltd other than by means of this publication, and whether relating to Armored Auto UK Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Armored Auto UK Ltd when used instead of, or in conjunction with materials supplied by Armored Auto UK Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Armored Auto UK Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.