

# SAFETY DATA SHEET Armor All® Orange Cleaning Wipes

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Armor All® Orange Cleaning Wipes

**Product number** 45025, 45030

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Car maintenance product.

**Uses advised against**No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Energizer Trading Ltd

Sword House Totteridge Road High Wycombe HP13 6DG

UK

Tel: +44 845 602 1995 euregulatory@energizer.com

#### 1.4. Emergency telephone number

Emergency telephone +44 1495 350234

Monday - Thursday: 0830 - 1700

Friday: 0830 - 1530

National emergency telephone Product information has been submitted to the UK National Poisons Information Service

**number** (NPIS) and is accessible to medical health professionals.

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard statements EUH208 Contains d-Limonene. May produce an allergic reaction.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 Dispose of contents/ container in accordance with national regulations.

**Detergent labelling** < 5% cationic surfactants, < 5% EDTA and salts thereof, < 5% non-ionic surfactants, < 5%

perfumes, Contains D-LIMONENE, CITRAL, LINALOOL

## **Armor All® Orange Cleaning Wipes**

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

3-butoxypropan-2-ol 1 - <2.5%

CAS number: 5131-66-8 EC number: 225-878-4 REACH registration number: 01-

2119475527-28-XXXX

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

2-aminoethanol 0.5 - <1%

CAS number: 141-43-5 EC number: 205-483-3 REACH registration number: 01-

2119486455-28-XXXX

Classification

Acute Tox. 4 - H302

Acute Tox. 4 - H312

Acute Tox. 4 - H332

Skin Corr. 1B - H314

STOT SE 3 - H335

Aquatic Chronic 3 - H412

Alcohols, C12-15, ethoxylated

CAS number: 68131-39-5

M factor (Acute) = 1

Classification

Acute Tox. 4 - H302

Eye Dam. 1 - H318

Aquatic Acute 1 - H400

Aquatic Chronic 3 - H412

Quaternary ammonium compounds, benzyl-C12-16-

0.25 - < 0.5%

0.25 - < 0.5%

alkyldimethyl, chlorides

CAS number: 68424-85-1 EC number: 270-325-2

REACH registration number: 01-

2119970550-39-XXXX

M factor (Acute) = 10 M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302

Skin Corr. 1B - H314

Eye Dam. 1 - H318

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

## **Armor All® Orange Cleaning Wipes**

d-Limonene 0.025 - <0.25%

#### Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

**Inhalation** If throat irritation or coughing persists, proceed as follows. Remove person to fresh air and

keep comfortable for breathing. Get medical attention if symptoms are severe or persist.

**Ingestion** Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.

Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if

symptoms are severe or persist.

Skin contact Brush off loose particles from skin. Wash with plenty of water. Get medical attention if

symptoms are severe or persist after washing.

Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if symptoms are severe or persist after washing.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** Prolonged or repeated exposure to vapours in high concentrations may cause the following

adverse effects: Drowsiness. Dizziness.

**Ingestion** Due to the physical nature of this product, it is unlikely that ingestion will occur. May cause

discomfort if swallowed.

Skin contact Due to the physical nature of this product, exposure by this route is unlikely. Prolonged skin

contact may cause redness and irritation.

**Eye contact** Due to the physical nature of this product, exposure by this route is unlikely. May cause

irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically. Keep affected person under observation.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-

extinguishing media suitable for the surrounding fire.

## **Armor All® Orange Cleaning Wipes**

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon. Toxic gases or vapours.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Use water to keep fire exposed containers cool and disperse vapours.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Wear positive-pressure selfcontained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Eliminate all

ignition sources if safe to do so. Avoid contact with skin and eyes.

#### 6.2. Environmental precautions

**Environmental precautions** 

Avoid discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Eliminate all ignition sources if safe to do so. Do not touch or walk into spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Use only non-sparking tools. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

#### 6.4. Reference to other sections

Reference to other sections

See Section 11 for additional information on health hazards. For waste disposal, see Section

13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Ground/bond container and receiving equipment. Take precautionary measures against static discharges. Keep away from heat, sparks and open flame. Provide adequate ventilation.

Advice on general occupational hygiene Avoid contact with eyes and prolonged skin contact. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in a cool and well-ventilated place. Keep away from heat, sparks and open flame. Take

precautionary measures against static discharges.

#### 7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

## **Armor All® Orange Cleaning Wipes**

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### 2-aminoethanol

Long-term exposure limit (8-hour TWA): WEL 1 ppm 2.5 mg/m³ Short-term exposure limit (15-minute): WEL 3 ppm 7.6 mg/m³

Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

**PNEC** 

#### 3-butoxypropan-2-ol (CAS: 5131-66-8)

**DNEL** Workers - Inhalation; Long term systemic effects: 147 mg/m³

Workers - Dermal; Long term systemic effects: 52 mg/kg/day

General population - Inhalation; Long term systemic effects: 43 mg/m³ General population - Dermal; Long term systemic effects: 22 mg/kg/day General population - Oral; Long term systemic effects: 12.5 mg/kg/day

PNEC Fresh water; 0.525 mg/l

Fresh water, Intermittent release; 5.25 mg/l

marine water; 0.052 mg/l

STP; 10 mg/l

Sediment (Freshwater); 2.36 mg/kg Sediment (Marinewater); 0.236 mg/kg

Soil; 0.16 mg/kg

## hexyl D-glucoside (CAS: 54549-24-5)

**DNEL** Workers - Inhalation; Long term systemic effects: 420 mg/m³

Workers - Dermal; Long term systemic effects: 595000 mg/kg/day General population - Inhalation; Long term systemic effects: 124 mg/m³ General population - Dermal; Long term systemic effects: 357000 mg/kg/day General population - Oral; Long term systemic effects: 35.7 mg/kg/day

Fresh water; 0.176 mg/l

Fresh water, Intermittent release; 4.2 mg/l

marine water; 0.018 mg/l

STP; 100 mg/l

Sediment (Freshwater); 0.722 mg/kg Sediment (Marinewater); 0.072 mg/kg

Soil; 0.654 mg/kg Oral; 111.11 mg/kg

#### 2-aminoethanol (CAS: 141-43-5)

**DNEL** Workers - Inhalation; Long term local effects: 3.3 mg/m³

Workers - Dermal; Long term systemic effects: 1 mg/kg/day General population - Inhalation; Long term local effects: 2 mg/m³

General population - Dermal; Long term systemic effects: 0.24 mg/kg/day General population - Oral; Long term systemic effects: 3.75 mg/kg/day

## **Armor All® Orange Cleaning Wipes**

PNEC Fresh water; 0.085 mg/l

marine water; 0.009 mg/l

STP; 100 mg/l

Sediment (Freshwater); 0.434 mg/kg Sediment (Marinewater); 0.043 mg/kg

Soil; 0.037 mg/kg

#### tetrasodium ethylene diamine tetraacetate (CAS: 64-02-8)

**DNEL** Workers - Inhalation; Long term local effects: 1.5 mg/m³

Workers - Inhalation; Short term local effects: 3 mg/m³

General population - Inhalation; Long term local effects: 0.6 mg/m³ General population - Inhalation; Short term local effects: 1.2 mg/m³ General population - Oral; Long term systemic effects: 25 mg/kg/day

PNEC Fresh water; 2.2 mg/l

marine water; 0.22 mg/l

STP; 43 mg/l Soil; 0.72 mg/kg

#### Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (CAS: 68424-85-1)

**DNEL** Workers - Inhalation; Long term systemic effects: 3.96 mg/m³

Workers - Dermal; Long term systemic effects: 5.7 mg/kg/day

General population - Inhalation; Long term systemic effects: 1.64 mg/m³ General population - Dermal; Long term systemic effects: 3.4 mg/kg/day General population - Oral; Long term systemic effects: 3.4 mg/kg/day

PNEC Fresh water; 0.001 mg/l

marine water; 0.001 mg/l

STP; 0.4 mg/l

Sediment (Freshwater); 12.27 mg/kg Sediment (Marinewater); 13.09 mg/kg

Soil; 7 mg/kg

#### Citric acid (CAS: 77-92-9)

PNEC - Fresh water; 0.44 mg/l

- marine water; 0.044 mg/l

- STP; 1000 mg/l

Sediment (Freshwater); 34.6 mg/kgSediment (Marinewater); 3.46 mg/kg

- Soil; 33.1 mg/kg

#### 8.2. Exposure controls

#### Protective equipment





## Appropriate engineering controls

Provide adequate ventilation. All handling should only take place in well-ventilated areas. Avoid inhalation of vapours and spray/mists. Use explosion-proof electrical, ventilating and lighting equipment.

## **Armor All® Orange Cleaning Wipes**

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Wear tight-fitting, chemical splash goggles

or face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures Do not smoke in work area. Wash promptly with soap and water if skin becomes

contaminated. Wash at the end of each work shift and before eating, smoking and using the

toilet.

**Respiratory protection** Respiratory protection complying with an approved standard should be worn if a risk

assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective

equipment is suitable for its intended use and is 'CE'-marked.

Environmental exposure

controls

Keep container tightly sealed when not in use.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

**Appearance** Liquid-impregnated wipe.

Colour White.

Odour Characteristic, Citrus.

Odour threshold Not determined.

**pH** Not determined.

Melting point Not determined.

**Initial boiling point and range** Not determined.

Flash point Not determined.

**Evaporation rate** Not determined.

**Evaporation factor** Not determined.

Flammability (solid, gas) Not determined.

Upper/lower flammability or

explosive limits

Not determined.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 0.987 – 1.007 : Liquid.

Bulk density

Partition coefficient

Not determined.

Auto-ignition temperature

Not determined.

Not determined.

Not determined.

## **Armor All® Orange Cleaning Wipes**

Viscosity Not determined.

**Explosive properties** Not considered to be explosive.

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria

for classification as oxidising.

9.2. Other information

Other information No information required.

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Will not polymerise.

#### 10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and open flame. Avoid excessive heat for prolonged periods of

time

#### 10.5. Incompatible materials

Materials to avoid None known.

#### 10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion products may include the following substances:

products

Carbon dioxide (CO2). Carbon monoxide (CO). Toxic gases or vapours.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

**Respiratory sensitisation**Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

## **Armor All® Orange Cleaning Wipes**

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

Toxicological information on ingredients.

3-butoxypropan-2-ol

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 3,300.0

mg/kg)

Species Rat

Notes (oral LD<sub>50</sub>) REACH dossier information.

**ATE oral (mg/kg)** 3,300.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,001.0

mg/kg)

Species Rat

Notes (dermal LD<sub>50</sub>) REACH dossier information.

ATE dermal (mg/kg) 2,001.0

Acute toxicity - inhalation

Acute toxicity inhalation

(LC50 vapours mg/l)

650.0

**Species** Rat

Notes (inhalation LC<sub>50</sub>) REACH dossier information.

ATE inhalation (vapours

mg/l)

650.0

Skin corrosion/irritation

Animal data Dose: 0.5 ml (75%), 4 hours, Rabbit Erythema/eschar score: Well defined erythema

(2). REACH dossier information. Irritating.

Serious eye damage/irritation

## **Armor All® Orange Cleaning Wipes**

Serious eye damage/irritation Irritating.

Skin sensitisation

Skin sensitisation Buehler test - Guinea pig: Not sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative. REACH dossier information.

Carcinogenicity

NOEL 300 ppm, Inhalation, Rat REACH dossier information. Read-across data. Carcinogenicity

Reproductive toxicity

Reproductive toxicity -

Two-generation study - NOAEL 1000 ppm, Inhalation, Rat F1 REACH dossier fertility

information. Read-across data.

Reproductive toxicity development

Developmental toxicity: - NOAEL: 880 mg/kg/day, Dermal, Rat REACH dossier

information.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 350 mg/kg/day, Oral, Rat REACH dossier information.

2-aminoethanol

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

1,515.0

Rat **Species** 

Notes (oral LD₅₀) REACH dossier information.

ATE oral (mg/kg) 1,515.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 1,025.0

mg/kg)

**Species** Rabbit

Notes (dermal LD50) **IUCLID** data sheet

1,025.0 ATE dermal (mg/kg)

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Converted acute toxicity point estimate (cATpE)

ATE inhalation (vapours

11.0

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 4 hours, Rabbit REACH dossier information. Corrosive.

Serious eye damage/irritation

Serious eye

Dose: 0.005 ml, 10 seconds, Rabbit REACH dossier information. Corrosive.

damage/irritation

Skin sensitisation

## **Armor All® Orange Cleaning Wipes**

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier

information.

Germ cell mutagenicity

**Genotoxicity - in vitro** Chromosome aberration: Negative. REACH dossier information.

**Genotoxicity - in vivo** Chromosome aberration: Negative. REACH dossier information.

Reproductive toxicity

Reproductive toxicity -

Two-generation study - NOAEL 1000 ppm, Oral, Rat F1 REACH dossier

fertility information.

Reproductive toxicity -

development

Maternal toxicity: - NOAEL: 120 mg/kg/day, Oral, Rat REACH dossier information.

Specific target organ toxicity - single exposure

**STOT - single exposure** STOT SE 3 - H335 May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEC 10 mg/m³, Inhalation, Rat REACH dossier information.

Alcohols, C12-15, ethoxylated

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) REACH dossier information.

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,001.0

mg/kg)

**Species** Rat

Notes (dermal LD<sub>50</sub>) REACH dossier information.

**ATE dermal (mg/kg)** 2,001.0

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 4 hours, Rabbit REACH dossier information. Irritating.

Serious eye damage/irritation

Serious eye

Eye Dam. 1 - H318 May cause serious eye damage.

damage/irritation

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier

information.

Germ cell mutagenicity

**Genotoxicity - in vitro**Gene mutation: Negative. REACH dossier information.

Reproductive toxicity

Reproductive toxicity -

fertility

Two-generation study - NOAEL ≥250 mg/kg/day, Dermal, Rat P, F1 REACH

dossier information. Read across data.

Reproductive toxicity -

development

Developmental toxicity: - NOAEL: ≥250 mg/kg/day, Dermal, Rat REACH dossier

information. Read across data.

## **Armor All® Orange Cleaning Wipes**

#### Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 250 mg/kg/day, Oral, Rat REACH dossier information. Read across data.

#### SECTION 12: Ecological information

#### 12.1. Toxicity

**Toxicity** Harmful to aquatic life with long lasting effects.

#### Ecological information on ingredients.

#### 3-butoxypropan-2-ol

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 560-1000 mg/l, Poecilia reticulata (Guppy)

REACH dossier information.

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: > 1000 mg/l, Daphnia magna

REACH dossier information.

Acute toxicity - aquatic

plants

EC₅₀, 96 hours: > 1000 mg/l, Selenastrum capricornutum

REACH dossier information.

Acute toxicity - EC<sub>50</sub>, 3 hours: > 1000 mg/l, Activated sludge

microorganisms REACH dossier information.

#### 2-aminoethanol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 349 mg/l, Cyprinus carpio (Common carp)

REACH dossier information.

Acute toxicity - aquatic

EC<sub>50</sub>, 48 hours: 65 mg/l, Daphnia magna

invertebrates

REACH dossier information.

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: 2.8 mg/l, Pseudokirchneriella subcapitata

REACH dossier information.

**Acute toxicity -** EC<sub>10</sub>, 30 minutes: > 1000 mg/l, Activated sludge

microorganisms REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - fish early

NOEC, 41 days: 1.24 mg/l, Oryzias latipes (Red killifish)

life stage REACH dossier information.

Chronic toxicity - aquatic

NOEC, 21 days: 0.85 mg/l, Daphnia magna

**invertebrates** REACH dossier information.

Alcohols, C12-15, ethoxylated

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute)

Acute toxicity - aquatic

EC<sub>50</sub>, 48 hours: 0.14 mg/l, Daphnia magna

invertebrates

REACH dossier information.

Acute toxicity - aquatic

EC<sub>50</sub>, 72 hours: 0.75 mg/l, Selenastrum capricornutum

plants

REACH dossier information.

## **Armor All® Orange Cleaning Wipes**

Acute toxicity -EC<sub>50</sub>, 16.9 hours: > 10000 mg/l, Pseudomonas putida

microorganisms REACH dossier information.

Read across data.

Chronic aquatic toxicity

Chronic toxicity - fish early NOEC, 30 days: > 0.33 mg/l, Lepomis macrochirus (Bluegill)

life stage REACH dossier information.

#### Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Acute aquatic toxicity

LE(C)50  $0.01 < L(E)C50 \le 0.1$ 

M factor (Acute) 10

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 0.456 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 0.016 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: 0.049 mg/l, Pseudokirchneriella subcapitata

Acute toxicity -

microorganisms

EC<sub>50</sub>, 3 hours: 7.75 mg/l, Activated sludge

Acute toxicity - terrestrial LC<sub>50</sub>, 14 days: 7070 mg/kg, Eisenia Fetida (Earthworm)

Chronic aquatic toxicity

M factor (Chronic) 1

Chronic toxicity - fish early NOEC, 34 days: 0.032 mg/l, Pimephales promelas (Fat-head Minnow)

Chronic toxicity - aquatic

invertebrates

NOEC, 21 days: 0.0042 mg/l, Daphnia magna

#### 12.2. Persistence and degradability

life stage

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

#### Ecological information on ingredients.

#### 3-butoxypropan-2-ol

Water - Degradation (90%): 28 days Biodegradation

REACH dossier information.

The substance is readily biodegradable.

2-aminoethanol

**Phototransformation** Water - DT<sub>50</sub>: 10.742 hours

REACH dossier information.

Estimated value.

Biodegradation Water - Degradation (>90%): 21 days

REACH dossier information.

## **Armor All® Orange Cleaning Wipes**

## Alcohols, C12-15, ethoxylated

Biodegradation Water - Degradation 72: 28 days

REACH dossier information.

Readily biodegradable but failing the 10-day window.

#### Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Phototransformation Air - DT₅₀ : 0.25 days

**Biodegradation** Water - Degradation 95.5%: 28 days

The substance is readily biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

Ecological information on ingredients.

## 3-butoxypropan-2-ol

**Bioaccumulative potential** The product is not bioaccumulating.

Partition coefficient log Pow: 1.2 REACH dossier information.

2-aminoethanol

Bioaccumulative potential BCF: 2.3, REACH dossier information. QSAR

Partition coefficient log Pow: -1.91 REACH dossier information.

Alcohols, C12-15, ethoxylated

Bioaccumulative potential BCF: 12.7, Pimephales promelas (Fat-head Minnow) REACH dossier information.

Read across data.

Partition coefficient log Pow: 2.03 - 6.24 REACH dossier information. QSAR

#### Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Bioaccumulative potential BCF: 79, Lepomis macrochirus (Bluegill)

#### 12.4. Mobility in soil

**Mobility** The product is partly soluble in water and may spread in the aquatic environment.

#### Ecological information on ingredients.

#### 3-butoxypropan-2-ol

**Surface tension** 27.6 mN/m @ 20°C/68°F REACH dossier information.

#### 2-aminoethanol

Henry's law constant 0.000000118 Pa m³/mol @ 25°C/77°F REACH dossier information.

#### Alcohols, C12-15, ethoxylated

Surface tension 21.9 - 28.8 mN/m @ 20°C/66°F REACH dossier information.

## **Armor All® Orange Cleaning Wipes**

#### Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Mobility Soluble in water.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

#### Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

**Results of PBT and vPvB** This substance is not classified as PBT or vPvB according to current EU criteria. assessment

#### 12.6. Other adverse effects

Other adverse effects Not determined.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Waste should not be disposed of untreated to the sewer unless fully compliant with the

requirements of the local water authority.

#### **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

## **Armor All® Orange Cleaning Wipes**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)

(Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended).

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

ATE: Acute Toxicity Estimate.

DNEL: Derived No Effect Level.

LC50: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

BCF: Bioconcentration Factor.

Classification procedures according to Regulation (EC) 1272/2008

Aquatic Chronic 3 - H412, EUH208: Calculation method.

**Revision comments** Revised formulation.

Revision date 26/03/2021

Revision 16

Supersedes date 19/03/2020

SDS number 226

## **Armor All® Orange Cleaning Wipes**

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains d-Limonene. May produce an allergic reaction.

The information supplied here is accurate to the best knowledge and belief of Energizer Trading Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Energizer Trading Ltd assumes any legal responsibility. Any information or advice obtained from Energizer Trading Ltd other than by means of this publication, and whether relating to Energizer Trading Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Energizer Trading Ltd when used instead of, or in conjunction with materials supplied by Energizer Trading Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Energizer Trading Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.