Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

	ation of the substance/mixture and of the company/undertaking		
1.1 Product identifier			
Product name	Castrol Power 1 4T 10W-30		
Product code	466859-IT01		
SDS no.	466859		
Product type	Liquid.		
1.2 Polovent identified was	of the substance or mixture and uses advised against		
	of the substance or mixture and uses advised against		
Use of the substance/ mixture	Motorcycle engine oil. For specific application advice see appropriate Technical Data Sheet or consult our company representative.		
1.3 Details of the supplier of	f the safety data sheet		
Supplier Castrol (UK) Limited PO Box 354, Chertsey Road, Sunbury On Thames, Middlesex, TW16 9AW			
	Orders/Enquiries: 0845 6008125 Technical Enquiries: 0845 082 1719 BP (Ireland) Ireland Orders/Enquiries: 1850 930 3942 Ireland Technical Enquiries: 1800 509 353		
E-mail address	MSDSadvice@bp.com		
1.4 Emergency telephone nu	umber		
EMERGENCY TELEPHONE NUMBER	Carechem: +44 (0) 1235 239 670 (24/7)		
SECTION 2: Hazards	dentification		
2.1 Classification of the subs	stance or mixture		
Product definition	Mixture		
Classification according to Not classified.	Regulation (EC) No. 1272/2008 [CLP/GHS]		
See sections 11 and 12 for m	ore detailed information on health effects and symptoms and environmental hazards.		
2.2 Label elements			
Signal word	No signal word.		
Hazard statements	No known significant effects or critical hazards.		
Precautionary statements			
Prevention	Not applicable.		
Response	Response Not applicable.		
Storage	Not applicable.		

elements EU Regulation (EC) No. 1907/2006 (REACH)

Not applicable.

Not applicable.

Disposal

Supplemental label

SECTION 2: Hazards identification

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.
Special packaging requiremen	
Containers to be fitted with child-resistant fastenings	Not applicable.
Tactile warning of danger	Not applicable.
2.3 Other hazards	
Results of PBT and vPvB assessment	Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.
Other hazards which do not result in classification	Defatting to the skin. USED ENGINE OILS Used engine oil may contain hazardous components which have the potential to cause skin cancer. See Toxicological Information, section 11 of this Safety Data Sheet.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Product definition Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

This product does not contain any hazardous ingredients at or above regulated thresholds.

SECTION 4: First aid measures

4.1 Description of first aid me	easures	
Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.	
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.	
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.	
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.	

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms. Potential acute health effects Inhalation Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure. Ingestion No known significant effects or critical hazards. Skin contact Defatting to the skin. May cause skin dryness and irritation. Eye contact No known significant effects or critical hazards. Delayed and immediate effects as well as chronic effects from short and long-term exposure Inhalation Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion Ingestion of large quantities may cause nausea and diarrhoea. Skin contact Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. Potential risk of transient stinging or redness if accidental eye contact occurs. Eye contact

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treatment should in general be symptomatic and directed to relieving any effects.

Product name	Castrol Power 1 4T 10W-30		Product code 466859-I	T01	Page: 2/11
Version 7	Date of issue 27 June 2018	Format	United Kingdom (UK) (United Kingdom)	Language	ENGLISH

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.	
Unsuitable extinguishing media	Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product.	
5.2 Special hazards arising from	n the substance or mixture	
Hazards from the substance or mixture		
Hazardous combustion products	Combustion products may include the following: carbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide)	
5.3 Advice for firefighters		
Special precautions for fire-fighters No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.		
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ctive equipment and emergency procedures	
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.	
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
6.3 Methods and material for co	ontainment and cleaning up	
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.	
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures. See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.	

SECTION 7: Handling and storage

7.1 Precautions for safe handli	ng		
Protective measures	Put on appropriate personal protective equipment.		
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.		

٦

SECTION 7. Har -112-. .

7.0.0 and the man famous f	and storage	
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use only in equipment/ containers designed for use with this product. Do not store in unlabelled containers.	
Not suitable Prolonged exposure to elevated temperature.		
7.3 Specific end use(s)		
Recommendations	See section 1.2 and Exposure scenarios in annex, if applicable.	
SECTION 8: Exposure	controls/personal protection	
8.1 Control parameters		
Occupational exposure limits	No exposure limit value known.	
No exposure limit value known.		
	n components may be shown in this section, other components may be present in any mist, efore, the specific OELs may not be applicable to the product as a whole and are provided for	
Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.	
Derived No Effect Level		
No DNELs/DMELs available.		
Predicted No Effect Concentra	ation	
No PNECs available		
8.2 Exposure controls		
Appropriate engineering controls Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be consi after other forms of control measures (e.g. engineering controls) have been suitably evalu Personal protective equipment should conform to appropriate standards, be suitable for us kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selectio appropriate standards. For further information contact your national organisation for stand The final choice of protective equipment will depend upon a risk assessment. It is importa ensure that all items of personal protective equipment are compatible.		
Individual protection measure		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should	
	therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.	

SECTION 8: Exposure controls/personal protection

Hand protection

General Information:

Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. The correct choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Most gloves provide protection for only a limited time before they must be discarded and replaced (even the best chemically resistant gloves will break down after repeated chemical exposures).

Gloves should be chosen in consultation with the supplier / manufacturer and taking account of a full assessment of the working conditions.

Recommended: Nitrile gloves. **Breakthrough time:**

Breakthrough time data are generated by glove manufacturers under laboratory test conditions and represent how long a glove can be expected to provide effective permeation resistance. It is important when following breakthrough time recommendations that actual workplace conditions are taken into account. Always consult with your glove supplier for up-to-date technical information on breakthrough times for the recommended glove type. Our recommendations on the selection of gloves are as follows:

Continuous contact:

Gloves with a minimum breakthrough time of 240 minutes, or >480 minutes if suitable gloves can be obtained.

If suitable gloves are not available to offer that level of protection, gloves with shorter breakthrough times may be acceptable as long as appropriate glove maintenance and replacement regimes are determined and adhered to.

Short-term / splash protection:

Recommended breakthrough times as above.

It is recognised that for short-term, transient exposures, gloves with shorter breakthrough times may commonly be used. Therefore, appropriate maintenance and replacement regimes must be determined and rigorously followed.

Glove Thickness:

For general applications, we recommend gloves with a thickness typically greater than 0.35 mm.

It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.

Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:

• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.

• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.

Skin and body

Use of protective clothing is good industrial practice.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.

Product name Castrol Power 1 4T 10W-30		Product code 466859-IT01		Page: 5/11	
Version 7	Date of issue 27 June 2018	Format	United Kingdom (UK) (United Kingdom)	Language	ENGLISH

SECTION 8: Exposure controls/personal protection

Refer to standards:	Respiratory protection: EN 529
	Gloves: EN 420, EN 374
	Eye protection: EN 166
	Filtering half-mask: EN 149
	Filtering half-mask with valve: EN 405
	Half-mask: EN 140 plus filter
	Full-face mask: EN 136 plus filter
	Particulate filters: EN 143
	Gas/combined filters: EN 14387
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Colour	Red.
Odour	Not available.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	<-18 °C
Flash point	Closed cup: >180°C (>356°F) [Pensky-Martens.]
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Density	✓1000 kg/m³ (<1 g/cm³) at 20°C
Solubility(ies)	insoluble in water.
Partition coefficient: n-octanol/ water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Kinematic: 68 mm²/s (68 cSt) at 40°C Kinematic: 10 to 11 mm²/s (10 to 11 cSt) at 100°C
Explosive properties	Not available.
Oxidising properties	Not available.

9.2 Other information

No additional information.

SECTION 10: Stabili	ty and reactivity				
10.1 Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.		Incompatible		
10.2 Chemical stability	The product is stable.				
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.				
10.4 Conditions to avoid	Avoid all possible sour	ces of ignition (spark o	of ignition (spark or flame).		
Product name Castrol Power	1 4T 10W-30		Product code 466	859-IT01	Page: 6/11
Version 7 Date of issue	e 27 June 2018	Format	United Kingdom (UK) (United Kingdom)	Language	ENGLISH

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials.

10.6 HazardousUnder normal conditions of storage and use, hazardous decomposition products should not be
produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity estimates

	Route	ATE value		
Not available.				
Information on likely routes of exposure	Routes of entry anticipated: Dermal, Inhalation	n.		
Potential acute health effect	<u>xts</u>			
Inhalation	Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure.			
Ingestion	No known significant effects or critical hazards	5.		
Skin contact	Defatting to the skin. May cause skin dryness	and irritation.		
Eye contact	No known significant effects or critical hazards	No known significant effects or critical hazards.		
Symptoms related to the pl	hysical, chemical and toxicological characterist	<u>ics</u>		
Inhalation	No specific data.			
Ingestion	No specific data.			
Skin contact	Adverse symptoms may include the following: irritation dryness cracking			
Eye contact	No specific data.			
Delayed and immediate effe	ects as well as chronic effects from short and lo	ong-term exposure		
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.			
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.			
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.			
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.			
Potential chronic health eff	iects			
General	engine oils during use. Used engine oil may o	tion of internal combustion engines contaminate contain hazardous components which have the rolonged contact with all types and makes of used gh standard of personal hygiene maintained.		
Carcinogenicity	No known significant effects or critical hazards	3.		
Mutagenicity	No known significant effects or critical hazards	5.		
Developmental effects	No known significant effects or critical hazards	5.		
Fertility effects	No known significant effects or critical hazards.			

SECTION 12: Ecological information

12.1 Toxicity

Environmental hazards Not classified as dangerous

12.2 Persistence and degradability

Expected to be biodegradable.

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil

Product name Castrol Power 1 4T 10W-30			Product code 466859-	T01	Page: 7/11
Version 7	Date of issue 27 June 2018	Format	United Kingdom (UK) (United Kingdom)	Language	ENGLISH

SECTION 12: Ecological information

Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.

12.6 Other adverse effects

Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen
	transfer could also be impaired.

SECTION 13: Disposal considerations

13.1 Waste treatment metho	ds
Product	
Methods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.
Hazardous waste	Yes.

European waste catalogue (EWC)

Waste code	Waste designation
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils

However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

Packaging

Methods of disposal Where possible, arrange for product to be recycled. Dispose of via an authorised person/

Special precautions

licensed waste disposal contractor in accordance with local regulations. This material and its container must be disposed of in a safe way. Empty containers or liners

may retain some product residues. Avoid dispersal of spilt material and runoff and contact with

References

soil, waterways, drains and sewers. Commission 2014/955/EU Directive 2008/98/EC

SECTION 14: Transport information ADR/RID **ADN** IMDG 14.1 UN number Not regulated. Not regulated. Not regulated. 14.2 UN proper shipping name 14.3 Transport hazard class(es)

14.4 Packing group 14.5 No. No. No. No. **Environmental** hazards **Additional** information

14.6 Special precautions for Not available. user

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not available.

Product name Castrol Power 1 4T 10W-30 Version 7 Date of issue 27 June 2018

Format United Language ENGLISH	/11
(UK) (United Kingdom)	н

ΙΑΤΑ

Not regulated.

SECTION 15: Regulatory information

•	
15.1 Safety, health and environ	mental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907/	<u>2006 (REACH)</u>
Annex XIV - List of substand	es subject to authorisation
Annex XIV	
None of the components are	listed.
Substances of very high co	<u>oncern</u>
None of the components are	e listed.
Other regulations	
REACH Status	The company, as identified in Section 1, sells this product in the EU in compliance with the current requirements of REACH.
United States inventory (TSCA 8b)	All components are listed or exempted.
Australia inventory (AICS)	At least one component is not listed.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (ENCS)	At least one component is not listed.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.
Ozone depleting substances	<u>s (1005/2009/EU)</u>
Not listed.	
Prior Informed Consent (PIC	;) (649/2012/EU)
Not listed.	
Seveso Directive	

Seveso Directive

This product is not controlled under the Seveso Directive.

15.2 Chemical safety assessment	A Chemical Safety Assessment has been carried out for one or more of substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself.				
SECTION 16: Other ir	formation				
Abbreviations and acronyms	ADN = European Provisions conc Inland Waterway ADR = The European Agreement Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Servic CLP = Classification, Labelling an CSA = Chemical Safety Assessm CSR = Chemical Safety Report DMEL = Derived Minimal Effect L DNEL = Derived Mo Effect Level EINECS = European Inventory of ES = Exposure Scenario EUH statement = CLP-specific Ha EWC = European Waste Catalog GHS = Globally Harmonized Syst IATA = International Air Transpor IBC = International Maritime Da LogPow = logarithm of the octano MARPOL = International Convent modified by the Protocol of 1978. OECD = Organisation for Econom PBT = Persistent, Bioaccumulativ	concerning de Packagin ent evel Existing Co azard stater ue em of Class t Associatio r ingerous Go l/water part ion for the F ("Marpol" = nic Co-opera	the International Ca g Regulation [Regu ommercial chemical nent sification and Labelli n oods ition coefficient Prevention of Polluti marine pollution) ation and Developm	arriage of Dange lation (EC) No. 1 Substances ng of Chemicals on From Ships, 7	rous Goods by 272/2008]
Product name Castrol Power 1 Version 7 Date of issue 3		Format	Product code 4666 United Kingdom (UK) (United Kingdom)	859-IT01 Language	Page: 9/11 ENGLISH

SECTION 16: Other information

PNEC = Predicted No Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006] RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SADT = Self-Accelerating Decomposition Temperature SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVCB = Complex hydrocarbon substance VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Varies = may contain one or more of the following 101316-69-2 / RRN 01-2119486948-13, 101316-70-5, 101316-71-6, 101316-72-7 / RRN 01-2119489969-06, 64741-88-4 / RRN 01-2119488706-23, 64741-89-5 / RRN 01-2119487067-30, 64741-95-3 / RRN 01-2119487081-40, 64741-96-4/ RRN 01-2119483621-38, 64741-97-5 / RRN 01-2119480374-36, 64742-01-4 / RRN 01-2119488707-21, 64742-44-5 / RRN 01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN 01-2119480375-34, 64742-54-7 / RRN 01-2119484627-25, 64742-55-8 / RRN 01-2119487077-29, 64742-56-9 / RRN 01-2119480132-48, 64742-57-0 / RRN 01-2119489287-22, 64742-58-1, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8, 64742-64-9, 64742-65-0 / RRN 01-2119471299-27, 64742-70-7 / RRN 01-2119487080-42, 72623-85-9 / RRN 01-2119555262-43, 72623-86-0 / RRN 01-2119474878-16, 72623-87-1 / RRN 01-2119474889-13, 74869-22-0 / RRN 01-2119495601-36, 90669-74-2 / RRN 01-2119970171-43

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classifi	cation	Justification
Not classified.		
Full text of abbreviated H statements	Not applicable.	
Full text of classifications [CLP/GHS]	Not applicable.	
<u>History</u>		
Date of issue/ Date of revision	27/06/2018.	
Date of previous issue	25/06/2018.	
Prepared by	Product Stewardship Group	

✓ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830