

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 1 of 14

Threadlocker - High Strength - Red

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Threadlocker - High Strength - Red

Product code: 27206, 27113, 27136, 27150



1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Not determined or not applicable.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:

United States

J-B Weld Company, LLC

1130 COMO ST.

SULPHUR SPRINGS, TX 75482

903-885-7696

info@jbweld.com

1.4 Emergency telephone number:

United States

CHEMTREC

Transportation Emergencies (24 hour): 800-424-9300 or

703-527-3887

Poison Control Centers (24 hour): medical emergencies 800-222-1222

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No. 1272/2008 (CLP):

Skin corrosion, category 1B

Specific target organ toxicity - repeated exposure, category 2

Chronic aquatic hazard, category 3

Hazard-determining components of labeling:

Resin

Additive

Additive

Liquid Additive

Powder

2.2 Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin and eyes thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 2 of 14

Threadlocker - High Strength - Red

P273 Avoid release to the environment.

P310 Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

2.3 Other hazards: None known

SECTION 3: Composition/information on ingredients

3.1 Substance: Not applicable.

3.2 Mixture:

Identification	Name	Classification according to Regulation (EC) No. 1272/2008 (CLP)	Weight %
CAS number: 81-07-2 EC number: 201-321-0	Additive	Not classified	<5
CAS number: 57-55-6 EC number: 200-338-0	Liquid Additive	Not classified	<5
CAS number: 25852-47-5	Resin	Not classified	<85
CAS number: 9004-96-0 EC number: 500-015-7	Liquid	Not classified	<30
CAS number: 80-15-9 EC number: 201-254-7	Additive	Not classified	<5
CAS number: 80-62-6 EC number: 201-297-1	Resin	Skin Sens. 1; H317 Skin Irrit. 2 ; H315 Stot SE 3; H335 Flam. Liq. 2; H225	<1
CAS number: 609-72-3 EC number: 210-199-8	Additive	Not classified	<1

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 3 of 14

Threadlocker - High Strength - Red

CAS number: 613-48-9 EC number: 210-345-0	Additive	Not classified	<1
CAS number: 67-56-1 EC number: 200-659-6	Liquid Additive	Flam. Liq. 2; H225 Stot SE 1; H370 Acute Tox. 3; H331 Acute Tox. 3; H311 Acute Tox. 3; H301	<1
CAS number: 112945-52-5	Powder	Skin Irrit. 2 ; H315 Eye Irrit. 2; H319 Stot SE 3; H335	<5

Additional information: None

Full Text of H and EUH statements: See section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes:

Not determined or not available.

Following inhalation:

Loosen clothing as necessary and position individual in a comfortable position
Maintain an unobstructed airway
Get medical advice/attention if you feel unwell
Take precautions to ensure your own safety
Remove source of exposure or move person to fresh air and keep comfortable for breathing
Immediately call a POISON CONTROL CENTER or seek medical attention
If breathing has stopped, trained personnel should begin rescue breathing
Avoid mouth-to-mouth contact by using a barrier device
If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

Following skin contact:

Rinse affected area with soap and water
If symptoms develop or persist, seek medical attention
Avoid direct contact and wear chemical protective clothing, if necessary
Immediately take off all contaminated clothing
Gently blot or brush away excess product
Rinse skin with lukewarm, gently flowing water until medical aid is available
Immediately call a POISON CONTROL CENTER or seek medical attention
Wash contaminated clothing before re-use or discard

Following eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes
If symptoms develop or persist, seek medical attention
Avoid direct contact and wear chemical protective gloves, if necessary
Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open
Remove contact lenses, if present and easy to do so
Continue rinsing until medical aid is available
Immediately call a POISON CONTROL CENTER or seek medical attention

Following ingestion:

Rinse mouth thoroughly
Seek medical attention if irritation, discomfort, or vomiting persists
Immediately call a POISON CONTROL CENTER or seek medical attention
Do not induce vomiting and rinse mouth

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 4 of 14

Threadlocker - High Strength - Red

If vomiting occurs naturally, lie on your side, in the recovery position
If breathing has stopped, trained personnel should begin rescue breathing
Avoid mouth-to-mouth contact by using a barrier device
If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

4.2 Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not available.

Delayed symptoms and effects:

Not determined or not available.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment:

Not determined or not available.

Notes for the doctor:

Not determined or not available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

Unsuitable extinguishing media:

Not determined or not applicable.

5.2 Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

5.3 Advice for firefighters

Personal protection equipment:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit.

Special precautions:

Not determined or not applicable.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Ensure air handling systems are operational.

Wear protective eye wear, gloves and clothing.

6.2 Environmental precautions:

Should not be released into the environment.

Prevent from reaching drains, sewer or waterway.

6.3 Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing.

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders).

Dispose of contents / container in accordance with local regulations.

6.4 Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 5 of 14

Threadlocker - High Strength - Red

Do not eat, drink, smoke or use personal products when handling chemical substances.

7.2 Conditions for safe storage, including any incompatibilities:

- Keep container tightly sealed.
- Protect from freezing and physical damage.
- Store in a cool, well-ventilated area.

7.3 Specific end use(s):

Not determined or not applicable.

SECTION 8: Exposure controls/personal protection



8.1 Control parameters

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Latvia	Additive	80-15-9	8-Hour TWA: 1 mg/m ³
	Liquid Additive	57-55-6	8-hour TWA: 7 mg/m ³
	Powder	112945-52-5	8-hour TWA: 1 mg/m ³
	Liquid Additive	67-56-1	8-hour TWA: 260 mg/m ³ (200 ppm)
Lithuania	Additive	80-15-9	8-Hour TWA: 1 mg/m ³
	Liquid Additive	57-55-6	8-hour TWA: 7 mg/m ³
	Liquid Additive	67-56-1	8-hour TWA: 260 mg/m ³ (200 ppm)
Croatia	Liquid Additive	57-55-6	Maximum (8 hr) allowable concentration: 150 ppm (474 mg/m ³) [Total vapor and particulates]
	Liquid Additive	57-55-6	Maximum (8 hr) allowable concentration: 150 ppm (10 mg/m ³) [Particulates]
	Powder	112945-52-5	Maximum (8 hr) allowable concentration: 6 mg/m ³ (total dust)
	Powder	112945-52-5	Maximum (8 hr) allowable concentration: 2.4 mg/m ³ (respirable dust)
	Liquid Additive	67-56-1	Maximum (8 hr) allowable concentration: 200 ppm (260 mg/m ³)
Australia	Resin	80-62-6	8 hr Time Weighted Avg (TWA): 208 mg/m ³
Bulgaria	Powder	112945-52-5	TWA: 0.07 mg/m ³ (respirable fraction)
	Powder	112945-52-5	TWA: 4.0 mg/m ³ (inhalable fraction)
	Liquid Additive	67-56-1	TWA: 260.0 mg/m ³ (200 ppm)

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 6 of 14

Threadlocker - High Strength - Red

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Denmark	Resin	80-62-6	8 hr Time Weighted Avg (TWA): 102 mg/m ³
United Kingdom	Resin	80-62-6	8 hr Time Weighted Avg (TWA): 208 mg/m ³
	Liquid Additive	57-55-6	TWA: 150 ppm (474 mg/m ³) [Total (vapor and particulates)]
	Liquid Additive	57-55-6	TWA: 10 mg/m ³ (Particulates)
	Powder	112945-52-5	TWA: 6 mg/m ³ (inhalable dust)
	Powder	112945-52-5	TWA: 2.4 mg/m ³ (respirable dust)
	Liquid Additive	67-56-1	TWA: 200 ppm (266 mg/m ³)
	Liquid Additive	67-56-1	STEL: 250 ppm (333 mg/m ³)
Ireland	Liquid Additive	57-55-6	8-hour OEL (TWA): 150 ppm (470 mg/m ³) [Total (vapor and particulates)]
	Liquid Additive	57-55-6	8-hour OEL (TWA): 10 mg/m ³ (Particulates)
	Powder	112945-52-5	8-hour OEL (TWA): 6 mg/m ³ (inhalable dust)
	Powder	112945-52-5	8-hour OEL (TWA): 2.4 mg/m ³ (respirable dust)
	Liquid Additive	67-56-1	8-hour OEL (TWA): 200 ppm (260 mg/m ³)
Germany	Resin	80-62-6	8 hr Time Weighted Avg (TWA): 210 mg/m ³
	Powder	112945-52-5	AGW limit value: 4 mg/m ³
	Liquid Additive	67-56-1	AGW limit value: 200 ppm (270 mg/m ³)
Cyprus	Powder	112945-52-5	8-hour TWA: 5 mg/m ³ (particles > 5 micrometers)
	Powder	112945-52-5	8-hour TWA: 2 mg/m ³ (particles < 5 micrometers)
Czech Republic	Powder	112945-52-5	8-hour TWA: 4.0 mg/m ³ (dust)
	Liquid Additive	67-56-1	8-hour TWA: 250 mg/m ³
	Liquid Additive	67-56-1	Ceiling limit (NPK-P): 1000 mg/m ³
Estonia	Powder	112945-52-5	8-hour TWA: 2 mg/m ³ (fine dust)
	Liquid Additive	67-56-1	8-hour TWA: 200 ppm (250 mg/m ³)
	Liquid Additive	67-56-1	STEL: 250 ppm (350 mg/m ³)
Slovakia	Powder	112945-52-5	8-hour TWA (NPEL): 4 mg/m ³ [Silica, amorphous (heat and wet processes, unfired diatomaceous earth, diatomite)]
	Powder	112945-52-5	8-hour TWA (NPEL): 0.3 mg/m ³ [Silica, amorphous (fused silica, fused silica, fumes, burnt diatomaceous earth)]
	Liquid Additive	67-56-1	8-hour TWA (NPEL): 200 ppm (260 mg/m ³)
Slovenia	Powder	112945-52-5	8-hour TWA: 4 mg/m ³ (inhalable fraction)

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 7 of 14

Threadlocker - High Strength - Red

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Liquid Additive	67-56-1	8-hour TWA: 260 mg/m ³ (200 ppm)
Finland	Powder	112945-52-5	8-hour limit: 5 mg/m ³
	Liquid Additive	67-56-1	8-hour limit: 200 ppm (270 mg/m ³)
	Liquid Additive	67-56-1	15-minute limit: 250 ppm (330 mg/m ³)
Hungary	Liquid Additive	67-56-1	8-hour TWA (ÁK Value): 260 mg/m ³
Malta	Liquid Additive	67-56-1	TWA: 200 ppm (260 mg/m ³)
Poland	Liquid Additive	67-56-1	8-hour TWA (NDS): 100 mg/m ³
	Liquid Additive	67-56-1	15-minute STEL (NDSCh): 300 mg/m ³
Romania	Liquid Additive	67-56-1	8-hour TWA: 260 mg/m ³ (200 ppm)
European Union	Liquid Additive	67-56-1	IOEL threshold limit: 260 mg/m ³ (200 ppm)
Belgium	Liquid Additive	67-56-1	8-hour TWA: 200 ppm (266 mg/m ³)
	Liquid Additive	67-56-1	15-minute STEL: 250 ppm (333 mg/m ³)
France	Liquid Additive	67-56-1	Time weighted average (VME): 200 ppm (260 mg/m ³)
	Liquid Additive	67-56-1	Short term exposure limit: 1000 ppm (1300 mg/m ³)
Greece	Liquid Additive	67-56-1	8-hour TWA: 200 ppm (260 mg/m ³)
	Liquid Additive	67-56-1	15-minute STEL: 250 ppm (325 mg/m ³)
Italy	Liquid Additive	67-56-1	8-hour TWA: 200 ppm (260 mg/m ³)
Luxembourg	Liquid Additive	67-56-1	TWA: 200 ppm (260 mg/m ³)
Netherlands	Liquid Additive	67-56-1	Binding 8-hour TWA: 133 mg/m ³
Portugal	Liquid Additive	67-56-1	Decree-Law No. 24/2012 8-hour TWA: 200 ppm (260 mg/m ³)
	Liquid Additive	67-56-1	NP 1796-2007 8-hour exposure limit: 200 ppm
	Liquid Additive	67-56-1	NP 1796-2007 Short-term exposure limit: 250 ppm
Spain	Liquid Additive	67-56-1	8-hour daily exposure limit (VLA-ED): 200 ppm (266 mg/m ³)
Sweden	Liquid Additive	67-56-1	Level Limit Value (NGV): 200 ppm (250 mg/m ³)
	Liquid Additive	67-56-1	Short Term Limit (KTV): 250 ppm (350 mg/m ³)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Derived No Effect Level (DNEL):

Not determined or not applicable.

Predicted No Effect Concentration (PNEC):

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 8 of 14

Threadlocker - High Strength - Red

Not determined or not applicable.

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls
Biological monitoring may also be appropriate for some substances

8.2 Exposure controls

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.
Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.
Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.
Wash hands before breaks and at the end of work.
Wash contaminated clothing before reuse.

Environmental exposure controls:

Select controls based on a risk assessment of local conditions.
See section 6 for information on accidental release measures.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Red liquid
Odor	Not available
Odor threshold	Not available
pH	Not available
Melting point/freezing point	Not available
Initial boiling point/range	Not available
Flash point (closed cup)	100°C (212°F)
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Upper flammability/explosive limit	Not available
Lower flammability/explosive limit	Not available
Vapor pressure	Not available
Vapor density	Not available
Density	1.12
Relative density	Not available
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not available

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 9 of 14

Threadlocker - High Strength - Red

Auto/Self-ignition temperature	Not available
Decomposition temperature	Not available
Dynamic viscosity	Not available
Kinematic viscosity	Not available
Explosive properties	Not available
Oxidizing properties	Not available

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity:

Does not react under normal conditions of use and storage.

10.2 Chemical stability:

Stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions:

None under normal conditions of use and storage.

10.4 Conditions to avoid:

None known.

10.5 Incompatible materials:

None known.

10.6 Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Additive	inhalation	LC50 - Mouse: 200 ppm (4 hours)
	oral	LD50 - Rat: 382 mg/kg
	dermal	LD50 - Rat: 500 mg/kg
Liquid Additive	oral	LD50 - Rat - 5630 mg/kg
	dermal	LD50 - Rabbit - 15800 mg/kg
	inhalation	LC50 - Rat - 83.9 mg/l - 4h

Skin corrosion/irritation

Assessment: Causes severe skin burns and eye damage

Product data:

No data available.

Substance data:

Name	Result
Liquid	Rabbit: Mild skin irritation 24h
Additive	Causes severe skin burns and eye damage.
	Causes skin irritation
Resin	Causes skin irritation.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 10 of 14

Threadlocker - High Strength - Red

Name	Result
Powder	Irritating to the skin.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Liquid	Rabbit: Mild eye irritation - 24hr
Additive	Causes serious eye irritation
Powder	Irritating effect on the eyes.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Powder	Group 3 - Not classifiable as to its carcinogenicity to humans

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Resin	May cause respiratory irritation
Liquid Additive	Causes damage to the optic nerve and central nervous system.
Powder	Component affects the respiratory system.

Specific target organ toxicity (repeated exposure)

Assessment: May cause damage to organs through prolonged or repeated exposure

Product data:

No data available.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 11 of 14

Threadlocker - High Strength - Red

Substance data:

Name	Result
Additive	May cause damage to organs through prolonged or repeated exposure.
	May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

12.2 Persistence and degradability

Product data: No data available.

Substance data: No data available.

12.3 Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

12.4 Mobility in soil

Product data: No data available.

Substance data: No data available.

12.5 Results of PBT and vPvB assessment

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Relevant information:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 12 of 14


Threadlocker - High Strength - Red

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None


International Carriage of Dangerous Goods by Inland Waterways (ADN)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	UN 1760
UN proper shipping name	Corrosive Liquid, N.O.S. Cumene hydroperoxide
UN transport hazard class(es)	8 
Packing group	I
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN 1760
UN proper shipping name	Corrosive Liquid, N.O.S. Cumene hydroperoxide
UN transport hazard class(es)	8 
Packing group	I
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

European regulations

Inventory listing (EINECS):

67-56-1	Liquid Additive	Listed
25852-47-5	Resin	Not Listed
9004-96-0	Liquid	Not Listed
81-07-2	Additive	Listed
80-15-9	Additive	Listed

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 13 of 14

Threadlocker - High Strength - Red

57-55-6	Liquid Additive	Not Listed
80-62-6	Resin	Listed
609-72-3	Additive	Listed
613-48-9	Additive	Listed
112945-52-5	Powder	Not Listed

REACH SVHC candidate list: Not determined.

REACH SVHC Authorizations: Not determined.

REACH Restriction:

67-56-1	Liquid Additive	Listed
---------	-----------------	--------

Water hazard class (WGK) (Product): Not determined.

Water hazard class (WGK) (Substance):

Ingredient Name	CAS	Class
Resin	25852-47-5	Class 1
Liquid	9004-96-0	Class 1
Additive	81-07-2	Class 2
Additive	80-15-9	Class 2
Additive	609-72-3	Class 1

Other regulations

Germany MAK: 8-hour TWA: 200 ppm (270 mg/m³), 8-hour TWA: 4 mg/m³ (inhalable fraction)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Indication of changes:

Not applicable.

Abbreviations and Acronyms: None

Classification procedure:

Classification according to Regulation (EC) No. 1272/2008 (CLP)	Method Used
Skin corrosion, category 1B	Calculation method
Specific target organ toxicity - repeated exposure, category 2	Calculation method
Chronic aquatic hazard, category 3	Calculation method

Summary of classification in section 3:

Skin Sens. 1; H317	Skin sensitization, category 1
Skin Irrit. 2 ; H315	Skin irritation, category 2
Stot SE 3; H335	Specific target organ toxicity - single exposure, category 3, respiratory irritation
Flam. Liq. 2; H225	Flammable liquids, category 2
Stot SE 1; H370	Specific target organ toxicity - single exposure, category 1
Acute Tox. 3; H331	Acute toxicity (inhalation), category 3
Acute Tox. 3; H311	Acute toxicity (dermal), category 3
Acute Tox. 3; H301	Acute toxicity (oral), category 3
Eye Irrit. 2; H319	Eye irritation, category 2A

Summary of hazard statements in section 3:

H317	May cause an allergic skin reaction
H315	Causes skin irritation

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.26.2018

Page 14 of 14

Threadlocker - High Strength - Red

H335	May cause respiratory irritation
H225	Highly flammable liquid and vapour
H370	Causes damage to organs
H331	Toxic if inhaled
H311	Toxic in contact with skin
H301	Toxic if swallowed
H319	Causes serious eye irritation

Disclaimer:

This product has been classified in accordance with EC No. 1272/2008 (CLP) and EC No. 1907/2006 (REACH). The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-0-0

HMIS: 3-0-0

Initial preparation date: 07.26.2018

End of Safety Data Sheet