

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name or designation of the mixture	Comma All Seasons Screenwash	
Registration number	-	
Synonyms	None.	
Product code	SW*	
Issue date	23-November-2018	
Version number	05	
Revision date	23-November-2018	
1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Vehicle screenwash		
Uses advised against	None known.	
1.3. Details of the supplier of the safety data sheet		
	Manufactured by Moove Lubricants	
Address	Dering Way, Gravesend, Kent DA12 2QX	
Telephone	+44 (0) 1474 564 311	
Address	Operations Plant Dering Way, Gravesend, Kent DA12 2QX	
Telephone	+44 (0) 1474 564 311	
Email	technical@uk.moovelub.com	
1.4. Emergency telephone		
Asia Pacific	+ (1) 760 476 3960	
China	+ (86) 4001 2001 74	
Europe	+ (44) 8 08 189 0979	
Middle East/Africa	+ (1) 760 476 3959	
Access code	334498	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards		
Flammable liquids	Category 3	H226 - Flammable liquid and
		vapour.

Hazard summary

May be ignited by heat, sparks or flames. Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms



Signal word	Warning
Hazard statements	
H226	Flammable liquid and vapour.
Precautionary statements	
Prevention	
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Material name: Comma All Seasons Screenwash - Moove Lubricants ltd.

SW* Version #: 05 Revision date: 23-November-2018 Issue date: 23-November-2018

Response	
P301 + P310	If swallowed: Immediately call a poison centre/doctor.
Storage	Store away from incompatible materials.
Disposal	
P501	Dispose of waste and residues in accordance with local authority requirements.
Supplemental label information	None.
2.3. Other hazards	Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effects, both acute and delayed	Headache. Direct contact with eyes may cause temporary irritation. Coughing.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards	Highly flammable liquid and vapour. Flammable liquid and vapour.
5.1. Extinguishing media	
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all For non-emergency ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate personnel protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Use water spray to reduce vapours or divert vapour cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage
7.1. Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
7.2. Conditions for safe	Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using

7.2. Conditions for safe storage, including any incompatibilities
 7.3. Specific end use(s)
 Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).
 Vehicle screenwash

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL (CAS 64-17-5) TWA 1920 mg/m3 1000 ppm Biological limit values No biological exposure limits noted for the ingredient(s). Recommended monitoring procedures Follow standard monitoring procedures. Derived no effect levels (DNELs) Not available. Predicted no effect concentrations (PNECs) Not available. 82. Exposure controls Appropriate engineering controls Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended. Individual protection measures, such as personal protective equipment Use personal protective equipment as required. Personal protection equipment should be chose according to the CEN standards and in discussion with the supplier of the personal protective equipment. Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles). Skin protection Face shield is recommended. Resistant gloves. - Uther Wear appropriate chemical resistant gloves.	UK. EH40 Workplace Expo Components	osure Limits (WELs) Type	Value
1000 ppm Biological limit values No biological exposure limits noted for the ingredient(s). Recommended monitoring procedures Follow standard monitoring procedures. Derived no effect levels (DNELs) Not available. Predicted no effect concentrations (PNECs) Not available. 8.2. Exposure controls Appropriate engineering controls Appropriate engineering controls Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls Individual protection measures. such as personal protective equipment General information Use personal protective equipment as required. Personal protection equipment should be chose according to the CEN standards and in discussion with the supplier of the personal protective equipment. Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles). Skin protection - Hand protection Wear appropriate chemical resistant gloves.	·		
Recommended monitoring proceduresFollow standard monitoring procedures.Derived no effect levels (DNELs)Not available.Predicted no effect concentrations (PNECs)Not available.8.2. Exposure controlsAppropriate engineering controls engineeringExplosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.Individual protection measures, such as personal protective equipment General informationUse personal protective equipment as required. Personal protection equipment should be chose according to the CEN standards and in discussion with the supplier of the personal protective equipment.Eye/face protection - Hand protectionFace shield is recommended. Wear safety glasses with side shields (or goggles).			
procedures Not available. Derived no effect levels (DNELs) Not available. Predicted no effect concentrations (PNECs) Not available. 8.2. Exposure controls Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended. Individual protection measures, such as personal protective equipment General information Use personal protective equipment as required. Personal protection equipment should be chose according to the CEN standards and in discussion with the supplier of the personal protective equipment. Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles). Skin protection - Hand protection Wear appropriate chemical resistant gloves.	Biological limit values	No biological exposure limits noted f	or the ingredient(s).
(DNELs) Not available. Predicted no effect concentrations (PNECs) Not available. 8.2. Exposure controls Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended. Individual protection measures, such as personal protective equipment General information Use personal protective equipment as required. Personal protection equipment should be chose according to the CEN standards and in discussion with the supplier of the personal protective equipment. Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles). Skin protection - Hand protection Wear appropriate chemical resistant gloves.	3	Follow standard monitoring procedu	res.
concentrations (PNECs) 8.2. Exposure controls Appropriate engineering controls Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended. Individual protection measures, such as personal protective equipment General information Use personal protective equipment as required. Personal protection equipment should be chose according to the CEN standards and in discussion with the supplier of the personal protective equipment. Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles). Skin protection Wear appropriate chemical resistant gloves.		Not available.	
Appropriate engineering controlsExplosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.Individual protection measures, General informationsuch as personal protective equipment Use personal protective equipment as required. Personal protection equipment should be chose according to the CEN standards and in discussion with the supplier of the personal protective equipment.Eye/face protection Skin protection - Hand protectionWear appropriate chemical resistant gloves.		Not available.	
controlschanges per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.Individual protection measures, such as personal protective equipment General informationUse personal protective equipment as required. Personal protection equipment should be chose according to the CEN standards and in discussion with the supplier of the personal protective equipment.Eye/face protection - Hand protectionFace shield is recommended. Wear safety glasses with side shields (or goggles).Kin protection · Hand protectionWear appropriate chemical resistant gloves.	8.2. Exposure controls		
General informationUse personal protective equipment as required. Personal protection equipment should be chose according to the CEN standards and in discussion with the supplier of the personal protective equipment.Eye/face protectionFace shield is recommended. Wear safety glasses with side shields (or goggles).Skin protectionWear appropriate chemical resistant gloves.		changes per hour) should be used. applicable, use process enclosures, maintain airborne levels below recor established, maintain airborne levels	Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to nmended exposure limits. If exposure limits have not been
according to the CEN standards and in discussion with the supplier of the personal protective equipment.Eye/face protectionFace shield is recommended. Wear safety glasses with side shields (or goggles).Skin protectionWear appropriate chemical resistant gloves.	Individual protection measure	s, such as personal protective equipn	nent
Skin protection Wear appropriate chemical resistant gloves.	General information	according to the CEN standards and	
- Hand protection Wear appropriate chemical resistant gloves.	Eye/face protection	Face shield is recommended. Wear	safety glasses with side shields (or goggles).
	Skin protection		
- Other Wear appropriate chemical resistant clothing.	- Hand protection	Wear appropriate chemical resistant	gloves.
	- Other	Wear appropriate chemical resistant	clothing.

Material name: Comma All Seasons Screenwash - Moove Lubricants ltd.

SW* Version #: 05 Revision date: 23-November-2018 Issue date: 23-November-2018

Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

•••••••••••••••••••••••••••••••••••••••	a and one properties
Appearance	
Physical state	Liquid.
Form	Liquid.
Colour	Blue.
Odour	Alcoholic.
Odour threshold	Not available.
рН	7
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 35 °C (> 95 °F)
Flash point	30.0 °C (86.0 °F) Closed cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	79.06 hPa estimated
Vapour density	Not available.
Relative density	0.966
Relative density temperature	20 °C (68 °F)
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2. Other information	No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure		
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Harmful if swallowed.	
Symptoms	Headache. Coughing.	
11.1. Information on toxicologic	al effects	
Acute toxicity	Harmful if swallowed.	
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.	
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.	
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.	
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.	
Reproductive toxicity	Possible reproductive hazard.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.	
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Mixture versus substance information	No information available.	
Other information	Not available.	
SECTION 12: Ecological information		

12.1. Toxicity

Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

Product		Species	Test Results
Comma All Seasons Screenwash			
Aquatic			
Crustacea	EC50	Daphnia	18289.3008 mg/l, 48 hours estimated
Fish	LC50	Fish	9386.9004 mg/l, 96 hours estimated

* Estimates for product may be based on additional component data not shown.

12.2. Persistence and degradability	No data is available on the degradability of this product.
12.3. Bioaccumulative potential	
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. The product contains volatile organic compounds which have a photochemical ozone creation potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: Comma All Seasons Screenwash - Moove Lubricants Itd.

SW* Version #: 05 Revision date: 23-November-2018 Issue date: 23-November-2018

SECTION 14: Transport information

	officition	
ADR		
14.1. UN number	UN1987	
14.2. UN proper shipping	ALCOHOLS, N.O.S. (vapour pressure at 50 °C more than	
name	110 kPa)	
14.3. Transport hazard class	(es)	
Class	3	
Subsidiary risk	-	
Label(s)	3	
Hazard No. (ADR)	33	
Tunnel restriction code		
14.4. Packing group 14.5. Environmental hazards		
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
RID		
14.1. UN number		
14.2. UN proper shipping	ALCOHOLS, N.O.S. (vapour pressure at 50 ?C not more than 110 kPa)	
name	<i>и</i> х	
14.3. Transport hazard class		
Class	3	
Subsidiary risk	-	
Label(s)	3	
14.4. Packing group	II	
14.5. Environmental hazards		
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
ADN		
14.1. UN number	UN1987	
14.2. UN proper shipping	Alcohols, n.o.s.	
name		
14.3. Transport hazard class	(es)	
Class	3	
Subsidiary risk		
Label(s)	3	
14.4. Packing group	II	
14.5. Environmental hazards	s No.	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
ΙΑΤΑ		
14.1. UN number	UN1987	
14.2. UN proper shipping	Alcohols, n.o.s.	
name		
14.3. Transport hazard class	(es)	
Class	3	
Subsidiary risk		
14.4. Packing group	II	
14.5. Environmental hazards	s No.	
ERG Code	3L	
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
for user		
Other information		
Passenger and cargo	Allowed with restrictions.	
aircraft		
Cargo aircraft only	Allowed with restrictions.	
IMDG		
14.1. UN number	UN1987	
14.2. UN proper shipping	ALCOHOLS, N.O.S.	
name		
14.3. Transport hazard class(es)		
Class	3	
Subsidiary risk	-	
14.4. Packing group		
initia acking group		

Material name: Comma All Seasons Screenwash - Moove Lubricants ltd. SW* Version #: 05 Revision date: 23-November-2018 Issue date: 23-November-2018 14.5. Environmental hazards

Marine pollutant EmS 14.6. Special precautions for user 14.7. Transport in bulk

according to Annex II of MARPOL 73/78 and the IBC

Code

No. F-E, S-D Read safety instructions, SDS and emergency procedures before handling.

Not established.

ADN; ADR; IATA; IMDG; RID

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

```
Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended 
Not listed.
```

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulationsThe product is classified and labelled in accordance with EC directives or respective national laws.
This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as
amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008
(CLP Regulation) as amended.National regulationsFollow national regulation for work with chemical agents.

Follow national regulation on the protection of workers from the risks of exposure to carcinogens and mutagens at work, in accordance with Directive 2004/37/EC.

15.2. Chemical safety	No Chemical Safety Assessment has been carried out.
assessment	

SECTION 16: Other information

List of abbreviations References	Not available. Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	None.
Revision information	Product and Company Identification: Alternate Trade Names SECTION 2: Hazards identification: Disposal SECTION 5: Firefighting measures: Suitable extinguishing media SECTION 7: Handling and storage: 7.2. Conditions for safe storage, including any incompatibilities
Training information	Follow training instructions when handling this material.
Disclaimer	Moove Lubricants Itd. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.