

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name or designation of the mixture	Comma X Flow Type MF 15W40	
Registration number	-	
Synonyms	None.	
Product code	XFMF*L	
Issue date	28-December-2018	
Version number	14	
Revision date	28-December-2018	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Automotive lubricant	
Uses advised against	None known.	
1.3. Details of the supplier of the safety data sheet		
	Manufactured by Moove Lubricants	
Address	Dering Way, Gravesend, Kent DA12 2QX	
Telephone	+44 (0) 1474 564 311	
Address	Operations Plant Dering Way, Gravesend, Kent DA12 2QX	
Telephone	+44 (0) 1474 564 311	
Email	technical@uk.moovelub.com	
1.4. Emergency telephone		
Asia Pacific	+ (1) 760 476 3960	
China	+ (86) 4001 2001 74	
Europe	+ (44) 8 08 189 0979	
Middle East/Africa	+ (1) 760 476 3959	
Access code	334498	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.	
Signal word	None.	
Hazard statements	The mixture does not meet the criteria for classification.	
Precautionary statements		
Prevention	Not available.	
Response	Not available.	
Storage	Not available.	
Disposal	Not available.	
Supplemental label information	EUH208 - Contains Calcium Alkaryl Sulphonate. May produce an allergic reaction.	
2.3. Other hazards	Not a PBT or vPvB substance or mixture.	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information				
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No. Notes
AMINES, POLYETHYLENEPC REACTION PRODUCTS WITH 1,3-DIOXOLAN-2-ONE AND SUCCINIC ANHYDRIDE MONOPOLYISOBUTENYL DE	1	3 147880-09-9 -	-	-
	atic Chronic 4;H4	413		
BENZENESULFONIC ACID METHYL-, MONO C20-26 BRANCHED ALKYL DERIVS., CALCIUM SALT	1 - < 3	3 722503-69-7 -	-	
Classification: Aqua	atic Chronic 4;H4	413		
Calcium Alkaryl Sulphonate	< 0.3	722503-68-6 -	-	-
Classification: Skin	Sens. 1B;H317,	Aquatic Chronic 4;H41	3	
Other components below report levels	table 90 - 10	0		
List of abbreviations and symbols that may be used above #: This substance has been assigned Union workplace exposure limit(s). M: M-factor PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.				
Composition comments	The full text for	all H-statements is disp	played in section 16.	
SECTION 4: First aid meas	ures			
General information	Ensure that mee		are of the material(s) involve	d, and take precautions to
4.1. Description of first aid measured	ures			
Inhalation		ir. Call a physician if sy	mptoms develop or persist.	
Skin contact	Wash off with s	oap and water. Get me	dical attention if irritation dev	elops and persists.
Eye contact	Rinse with wate	er. Get medical attention	n if irritation develops and pe	rsists.
Ingestion	Rinse mouth. G	et medical attention if s	symptoms occur.	
4.2. Most important symptoms and effects, both acute and delayed	Exposure may o	cause temporary irritation	on, redness, or discomfort.	
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptoma	atically.		
SECTION 5: Firefighting m	easures			
General fire hazards		or explosion hazards n	oted.	
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foar	m. Dry chemical powde	r. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use wate	er jet as an extinguishe	r, as this will spread the fire.	
5.2. Special hazards arising from the substance or mixture	During fire, gase	es hazardous to health	may be formed.	
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained b	breathing apparatus an	d full protective clothing mus	t be worn in case of fire.
Special fire fighting procedures	Move containers	s from fire area if you c	an do so without risk.	
Specific methods	Use standard fir	refighting procedures a	nd consider the hazards of o	ther involved materials.
SECTION 6: Accidental rele	ease measure	es		
6.1. Personal precautions, protect For non-emergency personnel			edures or personal protection, see se	ection 8 of the SDS.
For emergency responders	Keep unnecess SDS.	ary personnel away. Us	se personal protection recom	mended in Section 8 of the

6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
6.3. Methods and material for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use.	
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.	
SECTION 7: Handling and	storage	
7.1. Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.	
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).	
7.3. Specific end use(s)	Automotive lubricant	
SECTION 8: Exposure con	trols/personal protection	
8.1. Control parameters		
Occupational exposure limits	No exposure limits noted for ingredient(s).	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Recommended monitoring procedures	Follow standard monitoring procedures.	
Derived no effect levels (DNELs)	Not available.	
Predicted no effect concentrations (PNECs)	Not available.	
8.2. Exposure controls		
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures,	such as personal protective equipment	
General information	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
- Hand protection	Wear appropriate chemical resistant gloves.	
- Other	Wear suitable protective clothing.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	
Environmental exposure controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
SECTION 9: Physical and chemical properties		

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Colour	Brown.
Odour	Slight.
Odour threshold	Not available.
рН	Not available.

	Melting point/freezing point	Not available.
	Initial boiling point and boiling	360 °C (680 °F) estimated
	range	
	Flash point	> 200.0 °C (> 392.0 °F)
	Evaporation rate	Not available.
	Flammability (solid, gas)	Not applicable.
	Upper/lower flammability or expl	osive limits
	Flammability limit - lower (%)	Not available.
	Flammability limit - upper (%)	Not available.
	Vapour pressure	0.1 hPa estimated
	Vapour density	Not available.
	Relative density	Not available.
	Solubility(ies)	
	Solubility (water)	Not available.
	Partition coefficient (n-octanol/water)	Not available.
	Auto-ignition temperature	260 °C (500 °F) estimated
	Decomposition temperature	Not available.
	Viscosity	Not available.
	Explosive properties	Not explosive.
	Oxidising properties	Not oxidising.
	9.2. Other information	
	Density	0.88 g/cm ³
	Kinematic viscosity	102 mm²/s (40 °C (104 °F))
	Specific gravity	0.88 estimated
SECTION 10: Stability and reactivity		
	10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
	10.2. Chemical stability	Material is stable under normal conditions.
	10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
	10.4. Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.

- **10.5. Incompatible materials** Strong oxidising agents.
- **10.6. Hazardous**No hazardous decomposition products are known.decomposition products

SECTION 11: Toxicological information

General information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure			
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.		
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.		
11.1. Information on toxicological effects			
Acute toxicity	Not known.		
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.		
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.		
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.		
Skin sensitisation	This product is not expected to cause skin sensitisation.		
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.		

Carcinogenicity	Due to partial or complete lack of data the classification is not possible.
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΙΑΤΑ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk Not established.

according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed. Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed. Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed Authorisations Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed. **Restrictions on use** Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed. Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended. Not listed Other EU regulations Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed. Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended. No Chemical Safety Assessment has been carried out. 15.2. Chemical safety assessment SECTION 16: Other information List of abbreviations Not available. Not available. References Information on evaluation The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. method leading to the classification of mixture

H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life.

Follow training instructions when handling this material.

This document has undergone significant changes and should be reviewed in its entirety.

the sheet was written based on the best knowledge and experience currently available.

Moove Lubricants ltd. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

Material name: Comma X Flow Type MF 15W40 - Moove Lubricants ltd. XFMF*L Version #: 14 Revision date: 28-December-2018 Issue date: 28-December-2018

Full text of any H-statements not written out in full under

Sections 2 to 15

Disclaimer

Revision information Training information