Version 1.2

Revision Date 29.06.2017

Print Date 30.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Helix HX7 Professional AV 5W-30
Product code	:	001E9386

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Engine oil.
Uses advised against	:	This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier :	Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone : Telefax :	(+44) 08007318888
Email Contact for Safety Data : Sheet	If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com
1.4 Emergency telephone number	er in the second se

: +44-(0) 151-350-4595

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)		
Hazard pictograms	:	No Hazard Symbol required
Signal word	:	No signal word
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP criteria.

Version 1.2	Revision Date	29.06.2017	Print Date 30.06.2017
		HEALTH HAZARDS: Not classified as a heal criteria. ENVIRONMENTAL HA Not classified as enviro according to CLP criter	ZARDS: nmental hazard
Precautionary statements	: Prevention:	No precautionary phras	ses.
	Response:	No precautionary phras	ses.
	Storage:	No precautionary phras	ses.
	Disposal:	No precautionary phras	ses.

Safety data sheet available on request.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive diluent.
	* contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375- 34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01- 2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65- 0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01- 2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69- 9 (01-0000020163-82).

Hazardous components

Chemical nameCAS-No.ClassificationConcentrEC-No.(REGULATION[%]	Concentratio
--	--------------

SAFETY DATA SHEET Regulation 1907/2006/EC Helix HX7 Professional AV 5W-30

Version 1.2

Revision Date 29.06.2017

Print Date 30.06.2017

	Registration number	(EC) No 1272/2008)	
Alkaryl amine	36878-20-3 253-249-4 01-2119488911-28	Aquatic Chronic4; H413	1 - 3
Hydrocarbon polymer		Aquatic Chronic4; H413	1 - 3
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *		Asp. Tox.1; H304	0 - 90

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Not expected to be a health hazard when used under normal conditions.	
Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.	
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.	
In case of skin contact	 Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention. 	
In case of eye contact	 Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention. 	
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment	: Notes to doctor/physician: Treat symptomatically.	

Version 1.2

Revision Date 29.06.2017

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing	 Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only. Do not use water in a jet.
media	
5.2 Special hazards arising from	the substance or mixture
Specific hazards during firefighting	 Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3 Advice for firefighters	
Special protective equipment for firefighters	: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: 6.1.1 For non emergency personnel:
	Avoid contact with skin and eyes.
	6.1.2 For emergency responders:
	Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions	: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
---------------------------	---

Local authorities should be advised if significant spillages cannot be contained.

Version 1.2	Revision Date 29.06.2017	Print Date 30.06.2017
6.3 Methods and materials for con	tainment and cleaning up	
Methods for cleaning up	 Slippery when spilt. Avoid accid Prevent from spreading by makin or other containment material. Reclaim liquid directly or in an al Soak up residue with an absorbe suitable material and dispose of 	ng a barrier with sand, earth bsorbent. ent such as clay, sand or other

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

General Precautions :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
7.1 Precautions for safe handling	
Advice on safe handling :	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Product Transfer :	This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Other data :	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
	Store at ambient temperature.
	Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.
	The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guidance may be obtained from the local environmental agency office.

Version 1.2	Revision Date 29.06.2017	Print Date 30.06.2017
Packaging material	: Suitable material: For containers or co steel or high density polyethylene. Unsuitable material: PVC.	ontainer linings, use mild
Container Advice	: Polyethylene containers should not be temperatures because of possible risk	
7.3 Specific end use(s)		
Specific use(s)	: Not applicable	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure controls

Engineering measuresThe level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

SAFETY DATA SHEET Regulation 1907/2006/EC Helix HX7 Professional AV 5W-30

Version 1.2

Revision Date 29.06.2017

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	:	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection		
Remarks	:	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not

SAFETY DATA SHEET Regulation 1907/2006/EC

Helix HX7 Professional AV 5W-30

ersion 1.2	Revision Date 29.06.2017	Print Date 30.06.2017
Skin and body protection	 a good predictor of glove resistance dependent on the exact composition Glove thickness should be typically g depending on the glove make and m Skin protection is not ordinarily required. 	of the glove material. greater than 0.35 mm nodel.
	work clothes. It is good practice to wear chemical	
Respiratory protection	: No respiratory protection is ordinarily conditions of use. In accordance with good industrial h precautions should be taken to avoid If engineering controls do not mainta concentrations to a level which is ad health, select respiratory protection of specific conditions of use and meetin Check with respiratory protective eq Where air-filtering respirators are su appropriate combination of mask and Select a filter suitable for combined p and vapours [Type A/Type P boiling meeting EN14387 and EN143.	ygiene practices, d breathing of material. ain airborne equate to protect worker equipment suitable for the ng relevant legislation. uipment suppliers. itable, select an d filter. particulate/organic gases
Thermal hazards	: Not applicable	
Hygiene measures	: Exposure to this product should be r reasonably practicable. Reference s Health and Safety Executive's public Essentials".	hould be made to the
Environmental exposure co	ontrols	
General advice	 Take appropriate measures to fulfill relevant environmental protection leg contamination of the environment by Chapter 6. If necessary, prevent un being discharged to waste water. Wa treated in a municipal or industrial w before discharge to surface water. Local guidelines on emission limits for must be observed for the discharge vapour. 	gislation. Avoid following advice given in dissolved material from aste water should be aste water treatment plant or volatile substances

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

sion 1.2	Revision Date 29.06.2017	Print Date 30.06.201
Appearance	: Liquid at room temperature.	
Colour	: amber	
Odour	: Slight hydrocarbon	
Odour Threshold	: Data not available	
рН	: Not applicable	
pour point	: -36 °CMethod: ASTM D97	
Initial boiling point and boiling range	: > 280 °Cestimated value(s)	
Flash point	: 230 °C Method: ASTM D92 (COC)	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.8534 (15 °C)	
Density	: 853.4 kg/m3 (15.0 °C) Method: ASTM D4052	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: Pow: > 6(based on information on s	similar products)
Auto-ignition temperature	: > 320 °C	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 70.82 mm2/s (40.0 °C) Method: ASTM D445	

Version 1.2	Revision Date 29.06.2017	Print Date 30.06.2017	
	12.18 mm2/s (100 °C) Method: ASTM D445		
Explosive properties	: Not classified		
Oxidizing properties	: Data not available		
9.2 Other information			
Conductivity	: This material is not expected to be a	static accumulator.	
Decomposition temperature	: Data not available		

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	: Reacts with strong oxidising agents.	
10.4 Conditions to avoid Conditions to avoid	: Extremes of temperature and direct sunlight.	
10.5 Incompatible materials		
Materials to avoid	: Strong oxidising agents.	
10.6 Hazardous decomposition products		

Hazardous decomposition	: Hazardous decomposition products are not expected to form
products	during normal storage.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
----------------------	---	---

Version 1.2		Revision Date 29.06.2017	Print Date 30.06.2017
Information on likely routes of exposure	:	Skin and eye contact are the primary route although exposure may occur following acc	
Acute toxicity			
Product: Acute oral toxicity		1050 rat: > 5000 mg/kg	
Acute orar toxicity	•	LD50 rat: > 5,000 mg/kg Remarks: Expected to be of low toxicity:	
Acute inhalation toxicity	:	Remarks: Not considered to be an inhalation	on hazard under
		normal conditions of use.	
Acute dermal toxicity	:	LD50 Rabbit: > 5,000 mg/kg	
		Remarks: Expected to be of low toxicity:	

Skin corrosion/irritation

Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Serious eye damage/eye irritation

Product:

Remarks: Expected to be slightly irritating.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not expected to be a sensitiser.

Germ cell mutagenicity

Product:

: Remarks: Not considered a mutagenic hazard.

Carcinogenicity

Product:

Remarks: Not expected to be carcinogenic.

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Version 1.2

Revision Date 29.06.2017

Reproductive toxicity

Product:

Remarks: Not expected to impair fertility., Not expected to be a developmental toxicant.

STOT - single exposure

Product:

Remarks: Not expected to be a hazard.

STOT - repeated exposure

Product:

Remarks: Not expected to be a hazard.

Aspiration toxicity

Product:

Not considered an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the Germ cell mutagenicity- Assessment	 CMR properties This product does not meet the criteria for classification in categories 1A/1B.
Carcinogenicity - Assessment	: This product does not meet the criteria for classification in categories 1A/1B.
Reproductive toxicity - Assessment	: This product does not meet the criteria for classification in categories 1A/1B.

Version 1.2

Revision Date 29.06.2017

Print Date 30.06.2017

GB

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Toxicity to fish (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to crustacean (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available

12.2 Persistence and degradability

Product:	
Biodegradability	: Remarks: Expected to be not readily biodegradable., Major constituents are expected to be inherently biodegradable, but contains components that may persist in the environment.
12.3 Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: Contains components with the potential to bioaccumulate.
Partition coefficient: n-	: Pow: > 6Remarks: (based on information on similar products)
13 / 19	800001029197

Version 1.2 Revision Date 29.06.2017 Print Date 30.06.2017 octanol/water 12.4 Mobility in soil Product: Mobility : Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile. Remarks: Floats on water. 12.5 Results of PBT and vPvB assessment **Product:** : This mixture does not contain any REACH registered Assessment substances that are assessed to be a PBT or a vPvB. 12.6 Other adverse effects Product: Additional ecological : Product is a mixture of non-volatile components, which are not information expected to be released to air in any significant quantities., Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential. Poorly soluble mixture., May cause physical fouling of aquatic organisms.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.Contaminated packaging: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.Local legislation Waste catalogue:	Product	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.		ground water, or be disposed of into the environment.
	Contaminated packaging	to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional,
		:

Version 1.2	Revision Date 29.06.2017	Print Date 30.06.2017
	EU Waste Disposal Code (EWC):	
Waste Code	:	
	13 02 06*	
Remarks	: Disposal should be in accordance with national, and local laws and regulation	
	Classification of waste is always the reuser.	esponsibility of the end

SECTION 14: Transport information

14.1 UN number	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.2 Proper shipping name	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.3 Transport hazard class	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.5 Environmental hazards	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
14.6 Special precautions for	user
Remarks	: Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.
14.7 Transport in bulk accord	ling to Annex II of MARPOL 73/78 and the IBC Code
Pollution category	: Not applicable

Product name : Not applicable

SAFETY DATA SHEET		
Regulation 1907/2006/EC		
Helix HX7 Professiona	I AV 5W-30	
Version 1.2	Revision Date 29.06.2017	Print Date 30.06.2017
Special precautions	: Not applicable	
Additional Information	: MARPOL Annex 1 rules apply for b	ulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV)	: Product is not subject to Authorisation under REACH.

Volatile organic compounds : 0 %

Other regulations : Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.

The components of this product are reported in the following inventories:

EINECS	:	All components listed or polymer exempt.
TSCA	:	All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

16 / 19

Version 1.2

,

Revision Date 29.06.2017

Full text of H-Statemo H304 H413	ents May be fatal if swallowed and enters airways. May cause long lasting harmful effects to aquatic life.
Full text of other abb	reviations
H413	May cause long lasting harmful effects to aquatic life. reviations Chronic aquatic toxicity Aspiration hazard onyms : The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites. ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level DNEL = Derived Monestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Center on Ecotoxicology and
	Toxicology Of Chemicals ECHA = European Chemicals Agency EINECS = The European Inventory of Existing Commercial Chemical Substances EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances Inventory EWC = European Waste Code GHS = Globally Harmonised System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer IATA = International Agency for Research on Cancer IATA = International Air Transport Association IC50 = Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG = International Maritime Dangerous Goods INV = Chinese Chemicals Inventory IP346 = Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI = Korea Existing Chemicals Inventory LC50 = Lethal Concentration fifty

800001029197 GB

SAFETY DATA SHEET

Regulation 1907/2006/EC Helix HX7 Professional AV 5W-30

ersion 1.2	Revision Date 29.06.2017	Print Date 30.06.2017
	LD50 = Lethal Dose fifty per cer LL/EL/IL = Lethal Loading/Effect LL50 = Lethal Loading fifty MARPOL = International Conve Pollution From Ships NOEC/NOEL = No Observed Eff Observed Effect Level OE_HPV = Occupational Expos PBT = Persistent, Bioaccumulat PICCS = Philippine Inventory of Substances PNEC = Predicted No Effect Co REACH = Registration Evaluation Chemicals RID = Regulations Relating to In Dangerous Goods by Rail SKIN_DES = Skin Designation STEL = Short term exposure lim TRA = Targeted Risk Assessme TSCA = US Toxic Substances O TWA = Time-Weighted Average vPvB = very Persistent and very	tive Loading/Inhibitory loading ention for the Prevention of ffect Concentration / No sure - High Production Volume tive and Toxic f Chemicals and Chemical oncentration on And Authorisation Of international Carriage of
Further information		
Training advice	:	
	Provide adequate information, ir operators.	nstruction and training for
Other information	: No Exposure Scenario annex is sheet. It is a non-classified mixtu substances as detailed in Section Exposure Scenarios for the haze have been integrated into the co	ure containing hazardous on 3; relevant information from ardous substances contained
	A vertical bar () in the left margi from the previous version.	in indicates an amendment
Sources of key data used to compile the Safety Data Sheet	: The quoted data are from, but n sources of information (e.g. toxi Health Services, material suppli IUCLID date base, EC 1272 reg	cological data from Shell ers' data, CONCAWE, EU

SAFETY DATA SHEET Regulation 1907/2006/EC Helix HX7 Professional AV 5W-30

Version 1.2

Revision Date 29.06.2017

Print Date 30.06.2017

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.