

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 1 of 13

## Clear Epoxy Hardener - Syringe - Part B

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product Name:** Clear Epoxy Hardener - Syringe - Part B

**Product code:** 50112, 50112, 50114, 50132, 50240



#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses:** Not determined or not applicable.

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

**Manufacturer:**

**United States**

J-B Weld Company, LLC

1130 COMO ST.

SULPHUR SPRINGS, TX 75482

903-885-7696

info@jbweld.com

#### 1.4 Emergency telephone number:

**United States**

CHEMTREC

Transportation Emergencies (24 hour): 800-424-9300 or

703-527-3887

Poison Control Centers (24 hour): medical emergencies 800-222-1222

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture:

**Classification according to Regulation (EC) No. 1272/2008 (CLP):**

Flammable liquids, category 4

Skin corrosion, category 1B

Skin sensitization, category 1

Eye irritation, category 2A

Chronic aquatic hazard, category 3

**Hazard-determining components of labeling:**

Curing Agent

Liquid additive

Amine

Amine

Amine

Amine

Amine

Liquid additive

Amine

#### 2.2 Label elements

**Hazard pictograms:**



**Signal word:** Danger

**Hazard statements:**

H227 Combustible liquid.

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 2 of 13

## Clear Epoxy Hardener - Syringe - Part B

- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H315+H320 Causes skin and eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P264 Wash skin and eyes thoroughly after handling.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P370+P378 In case of fire: Use agents recommended in section 5 for extinction.
- P310 Immediately call a POISON CENTER or doctor/physician.
- P321 Specific treatment (see supplemental first aid instructions on this label).
- P363 Wash contaminated clothing before reuse
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P333+P313 If skin irritation or a rash occurs: Get medical advice/attention
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P337+P313 If eye irritation persists get medical advice/attention
- P403 Store in a well ventilated place.
- P403+P235 Store in a well ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local regulations.

### 2.3 Other hazards: None known

## SECTION 3: Composition/information on ingredients

3.1 **Substance:** Not applicable.

### 3.2 Mixture:

Identification	Name	Classification according to Regulation (EC) No. 1272/2008 (CLP)	Weight %
CAS number: 112-24-3 EC number: 203-950-6	Amine	Acute Tox. 4; H312 Skin Sens. 1; H317 Skin Corr. 1B; H314 Aquatic Chronic 3; H412	<5
CAS number: 100-51-6 EC number: 202-859-9	Liquid additive	Acute Tox. 4; H302 Acute Tox. 4; H332	<2
CAS number: 72244-98-5	Curing Agent	Skin Sens. 1; H317 Aquatic Chronic 3; H412	<90

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 3 of 13

## Clear Epoxy Hardener - Syringe - Part B

CAS number: 140-31-8 EC number: 205-411-0	Amine	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Sens. 1; H317 Skin Corr. 1B; H314 Aquatic Chronic 3; H412	<5
CAS number: 25620-58-0 EC number: 247-134-8	Amine	Acute Tox. 4; H302 Skin Sens. 1; H317 Skin Corr. 1B; H314 Aquatic Chronic 3; H412	<5
CAS number: 39423-51-3 EC number: 500-105-6	Amine	Acute Tox. 4; H302 Acute Tox. 4; H312 Eye Dam. 1; H318 Aquatic Chronic 2; H411	<5
CAS number: 3033-62-3 EC number: 221-220-5	Amine	Acute Tox. 4; H302 Acute Tox. 3; H311 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318	<1
CAS number: 919-30-2 EC number: 213-048-4	Liquid additive	Not classified	<2
CAS number: 6674-22-2 EC number: 229-713-7	Amine	Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318	<1

### Additional information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

**Full Text of H and EUH statements:** See section 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes:

Not determined or not available.

#### Following inhalation:

Loosen clothing as necessary and position individual in a comfortable position  
Maintain an unobstructed airway  
Get medical advice/attention if you feel unwell  
Take precautions to ensure your own safety  
Remove source of exposure or move person to fresh air and keep comfortable for breathing  
Immediately call a POISON CONTROL CENTER or seek medical attention  
If breathing has stopped, trained personnel should begin rescue breathing  
Avoid mouth-to-mouth contact by using a barrier device  
If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

#### Following skin contact:

Rinse affected area with soap and water  
If symptoms develop or persist, seek medical attention  
Avoid direct contact and wear chemical protective clothing, if necessary  
Immediately take off all contaminated clothing

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 4 of 13

### Clear Epoxy Hardener - Syringe - Part B

Gently blot or brush away excess product  
Rinse skin with lukewarm, gently flowing water until medical aid is available  
Immediately call a POISON CONTROL CENTER or seek medical attention  
Wash contaminated clothing before re-use or discard

#### Following eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes  
If symptoms develop or persist, seek medical attention  
Avoid direct contact and wear chemical protective gloves, if necessary  
Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open  
Remove contact lenses, if present and easy to do so  
Continue rinsing until medical aid is available  
Immediately call a POISON CONTROL CENTER or seek medical attention

#### Following ingestion:

Rinse mouth thoroughly  
Seek medical attention if irritation, discomfort, or vomiting persists  
Immediately call a POISON CONTROL CENTER or seek medical attention  
Do not induce vomiting and rinse mouth  
If vomiting occurs naturally, lie on your side, in the recovery position  
If breathing has stopped, trained personnel should begin rescue breathing  
Avoid mouth-to-mouth contact by using a barrier device  
If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Acute symptoms and effects:

Not determined or not available.

##### Delayed symptoms and effects:

Not determined or not available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

##### Specific treatment:

Not determined or not available.

##### Notes for the doctor:

Not determined or not available

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

##### Unsuitable extinguishing media:

Not determined or not applicable.

#### 5.2 Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

#### 5.3 Advice for firefighters

##### Personal protection equipment:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit.

##### Special precautions:

Shut off sources of ignition.  
Carbon monoxide and carbon dioxide may form upon combustion.  
Heating causes a rise in pressure, risk of bursting and combustion.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 5 of 13

## Clear Epoxy Hardener - Syringe - Part B

Ensure adequate ventilation.  
Ensure air handling systems are operational.  
Wear protective eye wear, gloves and clothing.

### 6.2 Environmental precautions:

Should not be released into the environment.  
Prevent from reaching drains, sewer or waterway.

### 6.3 Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing.  
Use spark-proof tools and explosion-proof equipment.  
Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders).  
Dispose of contents / container in accordance with local regulations.

### 6.4 Reference to other sections:

Not determined or not applicable.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling:

Use only with adequate ventilation.  
Avoid breathing mist or vapor.  
Do not eat, drink, smoke or use personal products when handling chemical substances.  
Take precautionary measures against electrostatic discharges.  
Use only non-sparking tools.

### 7.2 Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.  
Protect from freezing and physical damage.  
Store in a cool, well-ventilated area.  
Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

### 7.3 Specific end use(s):

Not determined or not applicable.

## SECTION 8: Exposure controls/personal protection



### 8.1 Control parameters

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Finland	Liquid additive	919-30-2	8-hour limit: 28 mg/m <sup>3</sup> (3 ppm)
	Liquid additive	919-30-2	15-minute limit: 55 mg/m <sup>3</sup> (6 ppm)
	Liquid additive	100-51-6	8-hour limit: 10 ppm (45 mg/m <sup>3</sup> )
Bulgaria	Liquid additive	100-51-6	TWA: 5.0 mg/m <sup>3</sup>
Estonia	Amine	112-24-3	8-hour TWA: 1 ppm (6 mg/m <sup>3</sup> )
	Amine	112-24-3	STEL: 12 mg/m <sup>3</sup>

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 6 of 13

## Clear Epoxy Hardener - Syringe - Part B

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Belgium	Amine	3033-62-3	8-hour TWA: 0.33 mg/m <sup>3</sup> (0.05 ppm)
	Amine	3033-62-3	15-minute STEL: 1 mg/m <sup>3</sup> (0.15 ppm)
Czech Republic	Liquid additive	100-51-6	8-hour TWA: 40 mg/m <sup>3</sup>
	Liquid additive	100-51-6	Ceiling limit (NPK-P): 80 mg/m <sup>3</sup>
Lithuania	Amine	112-24-3	8-hour TWA: 6 mg/m <sup>3</sup> (1 ppm)
	Amine	112-24-3	15-minute STEL: 12 mg/m <sup>3</sup> (2 ppm)
	Liquid additive	100-51-6	8-hour TWA: 5 mg/m <sup>3</sup>
Latvia	Liquid additive	100-51-6	8-hour TWA: 5 mg/m <sup>3</sup>
Italy	Amine	3033-62-3	15-min. STEL: 0.15 ppm
	Amine	3033-62-3	8-hour TWA: 0.05 ppm
Poland	Liquid additive	100-51-6	8-hour TWA (NDS): 240 mg/m <sup>3</sup>
	Amine	112-24-3	8-hour TWA (NDS): 1 mg/m <sup>3</sup>
	Amine	112-24-3	15-minute STEL (NDSCh): 3 mg/m <sup>3</sup>
Portugal	Amine	3033-62-3	8-Hour exposure limit: 0.05 ppm
	Amine	3033-62-3	Short-term exposure limit: 0.15 ppm
Romania	Amine	112-24-3	8-hour TWA: 10 mg/m <sup>3</sup> (1.7 ppm)
	Amine	112-24-3	15-minute STEL: 20 mg/m <sup>3</sup> (3.3 ppm)
Sweden	Amine	112-24-3	Level Limit Value (NGV): 1 ppm (6 mg/m <sup>3</sup> )
	Amine	112-24-3	Short Term Limit (KTV): 2 ppm (12 mg/m <sup>3</sup> )

### Biological limit values:

No biological exposure limits noted for the ingredient(s).

### Derived No Effect Level (DNEL):

Not determined or not applicable.

### Predicted No Effect Concentration (PNEC):

Not determined or not applicable.

### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

## 8.2 Exposure controls

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Use explosion-proof ventilation equipment.

### Personal protection equipment

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 7 of 13

## Clear Epoxy Hardener - Syringe - Part B

### Skin and body protection:

Select glove material impermeable and resistant to the substance.  
Wear appropriate clothing to prevent any possibility of skin contact.

### Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

### General hygienic measures:

Avoid contact with skin, eyes and clothing.  
Wash hands before breaks and at the end of work.  
Wash contaminated clothing before reuse.

### Environmental exposure controls:

Select controls based on a risk assessment of local conditions.  
See section 6 for information on accidental release measures.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	Clear liquid
Odor	Not available
Odor threshold	Not available
pH	Not available
Melting point/freezing point	Not available
Initial boiling point/range	Not available
Flash point (closed cup)	67°C (153°F)
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Upper flammability/explosive limit	Not available
Lower flammability/explosive limit	Not available
Vapor pressure	Not available
Vapor density	Not available
Density	1.127
Relative density	Not available
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not available
Auto/Self-ignition temperature	Not available
Decomposition temperature	Not available
Dynamic viscosity	Not available
Kinematic viscosity	Not available
Explosive properties	Not available
Oxidizing properties	Not available

### 9.2 Other information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity:

Does not react under normal conditions of use and storage.

### 10.2 Chemical stability:

Stable under normal conditions of use and storage.

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 8 of 13

## Clear Epoxy Hardener - Syringe - Part B

### 10.3 Possibility of hazardous reactions:

None under normal conditions of use and storage.

### 10.4 Conditions to avoid:

None known.

### 10.5 Incompatible materials:

None known.

### 10.6 Hazardous decomposition products:

None known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Route	Result
Liquid additive	inhalation	LC50 Rat: 4.178 mg/L (4 hr)
	oral	LD50 Rabbit: 1,040 mg/kg
		LD50 Rat: 1780 mg/kg
Amine	oral	LD50 - Chicken - 1,500 mg/kg
		LD50 - Rat - 550 mg/kg
		LD50 - Rat - 571 mg/kg
		LD50 - Rat - 251 - <300 mg/kg
	dermal	LD50 - Rat - > 1,000 mg/kg
		LD50 - Rabbit - 750 mg/kg
	inhalation	LC50 - Rat - 4.0 mg/L - 4 h (aerosol)

#### Skin corrosion/irritation

**Assessment:** Causes severe skin burns and eye damage

#### Product data:

No data available.

#### Substance data:

Name	Result
Amine	Corrosive to the skin.
	Causes skin burns
	Causes severe skin burns and eye damage.
	Corrosive to the skin.
	Corrosive to the skin.
Liquid additive	Causes severe skin burns and eye damage.

#### Serious eye damage/irritation

**Assessment:** Causes serious eye irritation

#### Product data:

No data available.

#### Substance data:

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 9 of 13

### Clear Epoxy Hardener - Syringe - Part B

Name	Result
Amine	Corrosive to the eyes.
	Corrosive effect on the eyes.
	Corrosive effect on the eyes.

#### Respiratory or skin sensitization

**Assessment:** May cause an allergic skin reaction

**Product data:**

No data available.

**Substance data:**

Name	Result
Curing Agent	May cause an allergic skin reaction.
Amine	Sensitization possible through skin contact.
	Sensitization possible through skin contact.
	May cause an allergic skin reaction.

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

**International Agency for Research on Cancer (IARC):** None of the ingredients are listed.

**National Toxicology Program (NTP):** None of the ingredients are listed.

#### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

#### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Information on likely routes of exposure:

No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics:

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 10 of 13

## Clear Epoxy Hardener - Syringe - Part B

No data available.

### Other information:

No data available.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Result
Amine	LC50 - Daphnia magna (Water flea) - 33.9 mg/L - 48 h
	EC50 - Pseudokirchnerella subcapitata - 4.4 mg/L - 72 h

#### Chronic (long-term) toxicity

**Product data:** No data available.

#### Substance data:

Name	Result
Curing Agent	NOEC - Daphnia magna (Water flea) - 3.5 mg/L - 21 d

### 12.2 Persistence and degradability

**Product data:** No data available.

**Substance data:** No data available.

### 12.3 Bioaccumulative potential

**Product data:** No data available.

**Substance data:** No data available.

### 12.4 Mobility in soil

**Product data:** No data available.

**Substance data:** No data available.

### 12.5 Results of PBT and vPvB assessment

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

### 12.6 Other adverse effects: No data available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Relevant information:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## SECTION 14: Transport information

### International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 11 of 13

## Clear Epoxy Hardener - Syringe - Part B

### International Carriage of Dangerous Goods by Inland Waterways (ADN)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Maritime Dangerous Goods (IMDG)

UN number	UN 2735
UN proper shipping name	Amines, Liquid, Corrosive, n.o.s. (Triethylenetetramine, 1-Piperazineethanamine)
UN transport hazard class(es)	8 
Packing group	III
Environmental hazards	None
Special precautions for user	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN 2735
UN proper shipping name	Amines, Liquid, Corrosive, n.o.s. (Triethylenetetramine, 1-Piperazineethanamine)
UN transport hazard class(es)	8 
Packing group	III
Environmental hazards	None
Special precautions for user	None

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

#### European regulations

##### Inventory listing (EINECS):

72244-98-5	Curing Agent	Not Listed
100-51-6	Liquid additive	Listed
140-31-8	Amine	Listed
112-24-3	Amine	Listed
39423-51-3	Amine	Listed
3033-62-3	Amine	Listed
919-30-2	Liquid additive	Listed
6674-22-2	Amine	Listed

**REACH SVHC candidate list:** Not determined.

**REACH SVHC Authorizations:** Not determined.

**REACH Restriction:** Not determined.

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

Initial preparation date: 07.25.2018

Page 12 of 13

## Clear Epoxy Hardener - Syringe - Part B

**Water hazard class (WGK) (Product):** Not determined.

**Water hazard class (WGK) (Substance):**

Ingredient Name	CAS	Class
Curing Agent	72244-98-5	1
Liquid additive	100-51-6	1
Amine	140-31-8	2
Amine	112-24-3	2
Amine	6674-22-2	Class 2

### Other regulations

**Germany MAK:** 8-hour TWA: 5 ppm (22 mg/m<sup>3</sup>)

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16: Other information

### Indication of changes:

Not applicable.

**Abbreviations and Acronyms:** None

### Classification procedure:

Classification according to Regulation (EC) No. 1272/2008 (CLP)	Method Used
Flammable liquids, category 4	
Skin corrosion, category 1B	Calculation method
Skin sensitization, category 1	Calculation method
Eye irritation, category 2A	Calculation method
Chronic aquatic hazard, category 3	Calculation method

### Summary of classification in section 3:

Acute Tox. 4; H312	Acute toxicity (dermal), category 4
Skin Sens. 1; H317	Skin sensitization, category 1
Skin Corr. 1B; H314	Skin corrosion, category 1B
Aquatic Chronic 3; H412	Chronic aquatic hazard, category 3
Acute Tox. 4; H302	Acute toxicity (oral), category 4
Acute Tox. 4; H332	Acute toxicity (inhalation), category 4
Eye Dam. 1; H318	Serious eye damage, category 1
Aquatic Chronic 2; H411	Chronic aquatic hazard, category 2
Acute Tox. 3; H311	Acute toxicity (dermal), category 3
Acute Tox. 3; H301	Acute toxicity (oral), category 3

### Summary of hazard statements in section 3:

H312	Harmful in contact with skin
H317	May cause an allergic skin reaction
H314	Causes severe skin burns and eye damage
H412	Harmful to aquatic life with long lasting effects
H302	Harmful if swallowed
H332	Harmful if inhaled
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects
H311	Toxic in contact with skin
H301	Toxic if swallowed

### Disclaimer:

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH)

**Initial preparation date:** 07.25.2018

Page 13 of 13

### Clear Epoxy Hardener - Syringe - Part B

This product has been classified in accordance with EC No. 1272/2008 (CLP) and EC No. 1907/2006 (REACH). The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 3-1-0

**HMIS:** 3-1-0

**Initial preparation date:** 07.25.2018

**End of Safety Data Sheet**